



# Rustler® 4X4 VXL (Model 67076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6720	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
<b>6710</b>	<b>Body reinforcement set (fits #6717 body)</b>
6719	Body support/ 3x12mm CS (4)
<b>6717</b>	<b>Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet</b>
6717A	Body, Rustler® 4X4 VXL, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717G	Body, Rustler® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717T	Body, Rustler® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717P	Body, Rustler® 4X4 VXL, pink (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6717R	Body, Rustler® 4X4 VXL, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
<b>6717X</b>	<b>Body, Rustler® 4X4 VXL, silver (painted, decals applied) (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
6718R	Body, Rustler® 4x4 VXL, Solar Flare (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
<b>6718X</b>	<b>Body, Rustler® 4X4, blue (painted, decals applied) (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
<b>6734G</b>	<b>Body, Rustler® 4X4, green &amp; blue/ window, grille, lights decal sheet (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
<b>6734T</b>	<b>Body, Rustler® 4X4, orange &amp; blue/ window, grille, lights decal sheet (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
<b>6734P</b>	<b>Body, Rustler® 4X4, pink &amp; purple/ window, grille, lights decal sheet (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
<b>6734R</b>	<b>Body, Rustler® 4X4, red &amp; blue/ window, grille, lights decal sheet (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
<b>6718</b>	<b>Body, Rustler® 4x4, red (painted, decals applied) (assembled with front &amp; rear body mounts and rear body support for clipless mounting)</b>
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
6728X	Skid plate, roof (body) (blue)/ 3x12mm CS (4)
6728G	Skid plate, roof (body) (green)/ 3x12 CS (4)
6728T	Skid plate, roof (body) (orange)/ 3x12 CS (4)
6728R	Skid plate, roof (body) (red)/ 3x12mm CS (4)
6728A	Skid plate, roof (body) (white)/ 3x12 CS (4)
6728	Skid plate, roof (body)/ 3x12mm CS (4)
6721	Wing, Rustler® 4X4 (black)/ 3x8 FCS (3)
<b>6721X</b>	<b>Wing, Rustler® 4x4 (blue)/ 3x8 FCS (3)</b>
<b>6721G</b>	<b>Wing, Rustler® 4x4 (green)/ 3x8 FCS (3)</b>
<b>6721T</b>	<b>Wing, Rustler® 4x4 (orange)/ 3x8 FCS (3)</b>
<b>6721R</b>	<b>Wing, Rustler® 4x4 (red)/ 3x8 FCS (3)</b>
<b>6721A</b>	<b>Wing, Rustler® 4x4 (white)/ 3x8 FCS (3)</b>

## Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
<b>6893X</b>	<b>Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>
<b>6893G</b>	<b>Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)</b>
7477	Cover, gear/ wire retainer
<b>6814</b>	<b>Differential kit, center (complete)</b>
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
<b>6883</b>	<b>Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)</b>
5148	Grease, white lithium
<b>6884</b>	<b>Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)</b>
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
<b>7460R</b>	<b>Motor mount, 6061-T6 aluminum (blue-anodized)</b>
7490	Plate, motor
<b>7490G</b>	<b>Plate, motor, green</b>
<b>7490A</b>	<b>Plate, motor, orange</b>
<b>7490R</b>	<b>Plate, motor, red</b>
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
<b>5352X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5552X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))</b>
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease
<b>6878</b>	<b>Slipper clutch, complete (for Slash 4x4)</b>
<b>5556</b>	<b>Slipper pressure plate &amp; hub (aluminum alloy)</b>
5351	Slipper pressure plate and hub (alloy)

## Chassis & Attachments

<b>6736X</b>	<b>6736X Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)</b>
6726X	Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
6724	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
<b>6791</b>	<b>Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)</b>
6736	Bumper, front/ bumper support
<b>6737X</b>	<b>Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)</b>
6737	Bumper, rear/ bumper mount, rear
6723R	Chassis (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down)
<b>6730X</b>	<b>Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>
<b>6730G</b>	<b>Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>
<b>6730A</b>	<b>Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>
<b>6730R</b>	<b>Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)</b>
6776	Wheellie bar

## Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
<b>6780</b>	<b>Differential kit, center (complete)</b>
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
<b>5136X</b>	<b>Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)</b>
<b>6788</b>	<b>Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>
<b>6789</b>	<b>Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>

**Page 2 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67076-4) Parts List**

6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)	9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>6783</b>	<b>Gear set, differential (spider gears (4)/ spider gear shaft (2))</b>	9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>6781</b>	<b>Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 PTFE-coated washer/ 2.5x8 CCS (4)</b>	9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6881	Housings, differential, front	9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6880	Housings, differential, rear	9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
<b>6782</b>	<b>Output gears, center differential, hardened steel (2)</b>	9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
5379X	Ring gear, differential/ pinion gear, differential	9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
<b>5379R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)</b>	9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>	9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
6879	Ring gear, differential/ pinion gear, differential (rear)	9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
3965	Screws, 2.5x8mm cap-head machine (6)	9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
1647	Silicone Grease	9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green

**Driveline Components**

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
<b>9059X</b>	<b>Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)</b>	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
<b>6758</b>	<b>Differential output shafts, steel-splined constant-velocity (2)</b>	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
<b>9057X</b>	<b>Differential output shafts, steel-splined constant-velocity (2)</b>	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)	9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
<b>6765G</b>	<b>Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)</b>	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
<b>6765A</b>	<b>Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)</b>	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
<b>6765R</b>	<b>Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)</b>	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
<b>9051X</b>	<b>Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)</b>	9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>6851R</b>	<b>Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)</b>	9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>6852R</b>	<b>Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)</b>	9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9052X</b>	<b>Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)</b>	9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>9055X</b>	<b>Half shaft, external splined (steel-spline constant velocity) (1)</b>	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
<b>6750</b>	<b>Half shaft, external splined (steel-spline constant velocity) (1)</b>	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
<b>9056X</b>	<b>Half shaft, internal splined (steel-spline constant velocity) (1)</b>	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
<b>6751</b>	<b>Half shaft, internal splined (steel-spline constant velocity) (1)</b>	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
<b>9058X</b>	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)</b>	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
<b>6757</b>	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)</b>	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)		
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)		
<b>9054X</b>	<b>Stub axle, front, steel-splined constant velocity (1)</b>		
<b>6754</b>	<b>Stub axle, front, steel-splined constant velocity (1)</b>		
<b>6753</b>	<b>Stub axle, rear, steel-splined constant velocity (1)</b>		
<b>9053X</b>	<b>Stub axle, rear, steel-splined constant velocity (1)</b>		

**Extreme HD Upgrade Kit**

<b>9016</b>	<b>Body mounts, front &amp; rear, extreme heavy duty (for use with #9080 upgrade kit)</b>
<b>9050</b>	<b>Carriers, stub axle, rear, extreme heavy duty, black (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050X</b>	<b>Carriers, stub axle, rear, extreme heavy duty, blue (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050G</b>	<b>Carriers, stub axle, rear, extreme heavy duty, green (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050T</b>	<b>Carriers, stub axle, rear, extreme heavy duty, orange (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050R</b>	<b>Carriers, stub axle, rear, extreme heavy duty, red (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>

**Page 3 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67076-4) Parts List**

- 9042X Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
- 9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
- 1654R Wheel hubs, hex (steel) (2)/ axle pins (2)

- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18 button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)

**Front Suspension & Steering**

- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 7430R Bulkhead, front (for use only with #6723R chassis)
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 6832X Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
- 6832G Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
- 6832A Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
- 6832R Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
- 6832 Caster blocks (c-hubs), left & right
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
- 6851A Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6851R Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
- 7438 Linkage, steering
- 6739 Shock tower, front
- 6739X Shock tower, front, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
- 6739G Shock tower, front, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)
- 6739R Shock tower, front, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
- 6837G Steering blocks, 6061-T6 aluminum (green-anodized), left & right
- 6837A Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
- 6837R Steering blocks, 6061-T6 aluminum (red-anodized), left & right
- 6837 Steering blocks, left & right
- 6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6754 Stub axle, front, steel-splined constant velocity (1)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

**Hardware**

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12) hollow balls (12)

**LED Lights**

- 6588 Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
- 6797 Bumper, front (with LED lights) (replacement for #6736 front bumper)
- 6541X Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)
- 5893 LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
- 6795 LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)
- 6793 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)
- 6796 Skid plate, roof (body) (with LED lights) (fits #6717 body)
- 2263 Y-harness, BEC to LED light set

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 6790 Gear adapters, fixed, Rustler® 4x4
- 2072A Gear set (for 2070, 2075 servos)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 3458 Heat sink (fits #3351R and #3461 motors)
- 3354R Motor cover, endbell (Velineon® 3500)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R Motor mount, 6061-T6 aluminum (blue-anodized)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 7490 Plate, motor
- 7490G Plate, motor, green
- 7490A Plate, motor, orange
- 7490R Plate, motor, red
- 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof

**Page 4 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67076-4) Parts List**

- 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

**Radio System, Batteries & Chargers**

- 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
- 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2857X 6400mah 11.1v 3-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2914 Battery, Power Cell AA Alkaline (4)
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6562 Mount, telemetry expander (requires #6730 chassis brace kit)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof

**Ready-To-Race Model**

- 67076-4 Rustler® 4X4 VXL: 1/10 Scale Stadium Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM®)

**Rear Suspension**

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 7429 Bulkhead, rear
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
- 1952G Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
- 1952T Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
- 6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install) screw pin (1)
- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
- 6738 Shock tower, rear
- 6738X Shock tower, rear, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
- 6738G Shock tower, rear, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)
- 6738R Shock tower, rear, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks (GTR)**

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7466R Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467R Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7465T Shaft, GTR xx-long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

**Shocks (Pro-Level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)

- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

**Shocks (Ultra Shocks)**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 5475 Multi-tool (plastic)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 6878 Slipper clutch, complete (for Slash 4x4)
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

### Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
6790	Gear adapters, fixed, Rustler® 4x4
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

### Steering Components

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

### Suspension Linkage

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)

6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
6769	Tires, Talon EXT 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)
6772	Wheels, RXT 2.8" (black) (2)

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

**Page 7 Rustler® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 67076-4) Parts List**

- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

**Turnbuckles & Threaded Rods**

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 5525 Rod ends (12)/ hollow balls (12)
- 6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**