



## 4-Tec® 2.0 VXL AWD Chassis (Model 83076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings		Differential Components	
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)	5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	8381	Housing, differential (front)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8380	Housing, differential (rear)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)	8379	Housing, spool / spool shaft/ bushing
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	6879	Ring gear, differential/ pinion gear, differential (rear)
Body & Accessories		Driveline Components	
8319	Body bumper, foam	<b>8353X</b>	<b>Drive cups, inner (2) (steel constant-velocity driveshafts)</b>
1834A	Body clips, black (12) (standard size)	8353	Drive cups, inner (2)/ screw pins (2)
<b>8315</b>	<b>Body mounts, front &amp; rear (2)</b>	<b>8355X</b>	<b>Driveshaft, center, aluminum (blue-anodized)</b>
8316	Body mounts, front & rear/ body mount posts/ body mount sliders	<b>8355</b>	<b>Driveshaft, center, aluminum / pin</b>
8317	Body washers, foam	<b>8355G</b>	<b>Driveshaft, center, aluminum / pin, green</b>
<b>8391</b>	<b>Body, Cadillac CTS-V (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, &amp; mounting hardware)</b>	<b>8355R</b>	<b>Driveshaft, center, aluminum / pin, red</b>
<b>8391A</b>	<b>Body, Cadillac CTS-V, blue (painted, decals applied)</b>	8349	Driveshaft, center, steel/ pin
<b>8391X</b>	<b>Body, Cadillac CTS-V, silver (painted, decals applied)</b>	8350	Driveshaft, front (2)
<b>8386</b>	<b>Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, &amp; mounting hardware)</b>	8351	Driveshaft, rear (2)
<b>8386X</b>	<b>Body, Chevrolet Corvette Z06, blue (painted, decals applied)</b>	<b>8350X</b>	<b>Driveshafts, steel constant-velocity (assembled), front (2)</b>
<b>8386A</b>	<b>Body, Chevrolet Corvette Z06, graphite (painted, decals applied)</b>	<b>8351X</b>	<b>Driveshafts, steel constant-velocity (assembled), rear (2)</b>
<b>8386R</b>	<b>Body, Chevrolet Corvette Z06, red (painted, decals applied)</b>	8382	O-rings (12)
<b>8311</b>	<b>Body, Ford GT (clear, requires painting)/ decal sheet (includes tail lights, exhaust tips, &amp; mounting hardware)</b>	2754	Stub axle pins (4)
<b>8311X</b>	<b>Body, Ford GT, black (painted, decals applied)</b>	8354	Stub axles (front or rear) (2)
<b>8311A</b>	<b>Body, Ford GT, blue (painted, decals applied)</b>	8356	Wheel hubs, hex (disk brake rotors) (4)
<b>8311R</b>	<b>Body, Ford GT, red (painted, decals applied)</b>	Front Suspension & Steering	
<b>8312</b>	<b>Body, Ford Mustang (clear, requires painting)/ window masks/ decal sheet</b>	8330	Bulkhead, front
<b>8312X</b>	<b>Body, Ford Mustang, black (painted, decals applied)</b>	8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
<b>8312A</b>	<b>Body, Ford Mustang, grabber blue (painted, decals applied)</b>	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
<b>8312T</b>	<b>Body, Ford Mustang, orange (painted, decals applied)</b>	<b>8334X</b>	<b>Mounts, suspension arms, aluminum (blue-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
8336	Bumper, rear (1)/ rear body mount (1)	<b>8334G</b>	<b>Mounts, suspension arms, aluminum (green-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
<b>8393</b>	<b>Decal sheet, Cadillac CTS-V</b>	<b>8334R</b>	<b>Mounts, suspension arms, aluminum (red-anodized) (front &amp; rear)/ hinge pin retainers (12)/ inserts (6)</b>
<b>8387</b>	<b>Decal sheets, Chevrolet Corvette Z06</b>	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
<b>8392</b>	<b>Mirrors, side, black (left &amp; right)/ mirror retainers (2)/ body clips (4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3) (fits #8391 body)</b>	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
<b>8388</b>	<b>Mirrors, side, black (left &amp; right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2) (fits #8386 body)</b>	<b>8345R</b>	<b>Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))</b>
<b>8314</b>	<b>Tail lights (2)/ tail light mounts (4) / exhaust tip (2)/ exhaust tip mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)</b>	8344	Servo saver/ servo saver spring/ servo horn, steering
Brake Components		8338	Shock towers, front & rear
8367	Brake calipers (red), front (2)/ rear (2)	8343	Steering bellcranks/ hardware
8356	Wheel hubs, hex (disk brake rotors) (4)	8337	Steering block (2)
Center Driveline		2754	Stub axle pins (4)
8381	Housing, differential (front)	8354	Stub axles (front or rear) (2)
8380	Housing, differential (rear)	8333	Suspension arms, front (left & right)
Chassis & Attachments		8340	Suspension pin set, complete (front & rear)
<b>8327-BLUE</b>	<b>Battery hold-down, 6061-T6 aluminum (blue-anodized)</b>	<b>8398</b>	<b>Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)</b>
<b>8327-GRAY</b>	<b>Battery hold-down, 6061-T6 aluminum (gray-anodized)</b>	8342	Toe links, steel (34mm) (2)
<b>8327-GRN</b>	<b>Battery hold-down, 6061-T6 aluminum (green-anodized)</b>	<b>8341X</b>	<b>Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>
<b>8327-ORNG</b>	<b>Battery hold-down, 6061-T6 aluminum (orange-anodized)</b>	<b>8341G</b>	<b>Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>
<b>8327-RED</b>	<b>Battery hold-down, 6061-T6 aluminum (red-anodized)</b>	<b>8341R</b>	<b>Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench</b>
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)	Hardware	
8319	Body bumper, foam	1834A	Body clips, black (12) (standard size)
8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	4859	CS 3x10 flathead (hex drive)
8335	Bumper, front (1 each, upper & lower)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
8336	Bumper, rear (1)/ rear body mount (1)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8322	Chassis	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
8321	Chassis brace (front)	3236	Screws, 2.5x12mm cap-head machine (6)
<b>8321-BLUE</b>	<b>Chassis brace, front, 6061-T6 aluminum (blue-anodized)</b>	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
<b>8321-GRAY</b>	<b>Chassis brace, front, 6061-T6 aluminum (gray-anodized)</b>	2577	Screws, 3x10mm button-head machine (hex drive) (6)
<b>8321-GRN</b>	<b>Chassis brace, front, 6061-T6 aluminum (green-anodized)</b>	2587	Screws, 3x10mm caphead machine (6) (no washer)
<b>8321-ORNG</b>	<b>Chassis brace, front, 6061-T6 aluminum (orange-anodized)</b>	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
<b>8321-RED</b>	<b>Chassis brace, front, 6061-T6 aluminum (red-anodized)</b>	2578	Screws, 3x12mm button-head machine (hex drive) (6)
8323	Gear cover (rear chassis brace)	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
		2593	Screws, 3x14mm button-head machine (hex drive) (6)

## Page 2 4-Tec® 2.0 VXL AWD Chassis: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 83076-4) Parts List

2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
8356	Wheel hubs, hex (disk brake rotors) (4)

### Motors & Electronics

2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™
2072A	Gear set (for 2070, 2075 servos)
3458	Heat sink (fits #3351R and #3461 motors)
3354R	Motor cover, endbell (Velineon® 3500)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
8390	Plate, motor
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

### Radio System, Batteries & Chargers

2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2970-3S	Battery/charger completer pack (includes #2970 iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)

6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

### Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8352X-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRAY	Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8352X-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
10539-BLUE	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)
10539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)
10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)
10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)
10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)
8338	Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil		Team Traxxas Items	
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	2514	Decal sheet, racing sponsors
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9909	Traxxas® racing banner, red & black (3x7 feet)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	<b>Tires &amp; Wheels</b>	
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	8378	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
5029	Shock oil bottle (60cc) (for mixing shock oil)	8375	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	8376G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
5038	Spinning carousel rack	8377G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
Shocks (Pro-level Aluminum)		8374G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
2658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum)(assembled with TiN shafts) with springs (f/r) (2)	8373G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (front) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)	8376A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	8377A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
2742X	Rod ends, short (6)/ hollow balls (6)	8374A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
8361	Shock caps (black) (4) (assembled with hollow balls)	8373A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (front) (2)
2667	Shock caps, aluminum (2) (Big Bore Shocks)	8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)
4262	Shock shaft, hard chrome (32mm) (rear) (2)	8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)
4261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)	<b>Traxxas Tools</b>	
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)	3433X	Body reamer (aluminum handle)
1765	Silicone diaphragms (4)	3433	Body reamer (plastic handle)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	3436	Cap, body reamer
Shocks (Ultra Shocks)		3432	Scissors, curved tip
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3431	Scissors, straight tip
2742X	Rod ends, short (6)/ hollow balls (6)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8361	Shock caps (black) (4) (assembled with hollow balls)	8720	Speed bit handle, large (overmolded)
2362	Shock rebuild kit (for 2 shocks)	8721	Speed bit handle, medium (one piece)
8362X	Spring, shock (blue) (2)	8722	Speed bit handle, premium (rubber overmold)
8362G	Spring, shock (green) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8362P	Spring, shock (pink) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8366	Spring, shock (red) (2.8 rate, white stripe) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8362	Spring, shock (red) (3.7 rate) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8363	Spring, shock (red) (4.075 rate, green stripe) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8364	Spring, shock (red) (4.4 rate, black stripe) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
Spur Gears & Pinion Gears		2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
2728	Ball bearings (5x8x2.5mm) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
8323	Gear cover (rear chassis brace)	<b>Turnbuckles &amp; Threaded Rods</b>	
2419	Gear, 19-T pinion (48-pitch) / set screw	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
2421	Gear, 21-T pinion (48-pitch) / set screw	8346	Camber links, steel, front (32mm) (2)
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw	8348	Camber links, steel, rear (28mm) (2)
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
2424	Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw	8342	Toe links, steel (34mm) (2)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
2435	Gear, 35-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
4725	Gear, pinion (25-tooth) (48-pitch) / set screw		
8358	Spur gear, 55-tooth		
8359	Spur gear, 62-tooth		
8357	Spur gear, 70-tooth		
Steering Components			
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))		
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))		
8344	Servo saver/ servo saver spring/ servo horn, steering		
8343	Steering bellcranks/ hardware		
8342	Toe links, steel (34mm) (2)		
Suspension Linkage			
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		

**Page 4 4-Tec® 2.0 VXL AWD Chassis: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 83076-4) Parts List**

8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**