

TRX-6® Ultimate RC Hauler (Model 88086-84) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
8241	Axle housing, front	5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		Body Accessories
8837	Axle housing, rear (6X6)	1926	Antenna caps, vinyl (2)/ antenna spool
8227	Axle mount set (complete) (front & rear) (for suspension links)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8836	Axle mount set (rear) (for suspension links)	1834	Body Clips (12) (standard size)
8228	Axle shaft, front (left)/ drive pin/ cross pin	1834A	Body clips, black (12) (standard size)
8229	Axle shaft, front (right)/ drive pin/ cross pin	3934	Body clips, heavy duty (12)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	3934A	Body clips, heavy duty (black) (12)
9062	portal drive input gear)	8215	Body mounts & posts, front & rear (complete set)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)	8853X 8115	Body mounts & posts, front & rear (complete set) Body posts, front & rear
8230	Axle shaft, rear (left)	4915	Body washers, foam adhesive (10)
8231	Axle shaft, rear (right)	8823	Body, TRX-6® Ultimate RC Hauler (clear, requires painting)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	0023	(includes headlight & roof light housings, side mirrors, & decals)
	portal drive input gear)	8823R	Body, TRX-6® Ultimate RC Hauler, black (painted, decals
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,		applied)
	rear (machined) (2) (assembled)	8823X	Body, TRX-6® Ultimate RC Hauler, black (painted, decals applied)
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		(includes headlight & roof light housings, side mirrors)
8256	Portal drive axle mount, rear (left & right)	2514	Decal sheet, racing sponsors
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
	(left and right)/ 2.5x16 CS (4)		narrow inner fenders)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
92560	anodized) (left and right)/ 2.5x16 CS (4)		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)	8072	(10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	0012	plate/ 3x8 flathead screws (4)
020011	(left and right)/ 2.5x16 CS (4)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	0000	
8253	Portal drive housing, inner, rear (left or right) (2)		Bumpers & Skidplates
8251	Portal drive housing, outer (front or rear) (2)	8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
8064	Portal drive input gear, front (machined) (left or right) (requires	8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
	#8060 front axle shaft)	8067	Bumper mounts, front & rear
8257	Portal drive input gear, front/ drive pin/ cross pin	8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
8259	Portal drive input gear, rear	8237	Bumper mounts, front & rear/ screw pins (4)
8065	Portal drive input gear, rear (machined) (left or right) (requires	8124 8838	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) Bumper, front (black chrome) (assembled)
0050	#8063 rear axle)	8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8258 8252X	Portal drive output gear, front or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
5252A	(2)/ 3x12 BCS (2)	8236	Bumper, rear
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	8125	Bumper, rear (176mm wide)
	anodized) (2)/ 3x12 BCS (2)	8838X	Bumper, rear (black chrome) (assembled with lenses)
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	8136	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	anodized) (2)/ 3x12 BCS (2)	8834	Bumper, rear (without trailer hitch receiver)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	8820	Bumpers, front & rear
	(2)/ 3x12 BCS (2)	8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)		suspension link mounts (left & right)/ 2.5x12 CS (4)
02524	(2)/ 2.5x10 CS (2)	8830	Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2)		suspension link mounts (left & right)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		Chassis & Attachments
02000	anodized) (2)/ 2.5x10 CS (2)	8223	Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072
8253R			
	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		inner fenders)
	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)	8853X	
8251X		8215	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set)
8251X	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)		inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
8251X 8251A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-	8215 8224	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8251A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)	8215 8224 8829X	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right)
	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	8215 8224	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
8251A 8251G	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)	8215 8224 8829X 8081	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)
8251A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	8215 8224 8829X	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers
8251A 8251G 8251R	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)	8215 8224 8829X 8081	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8251A 8251G 8251R 8255A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2)	8215 8224 8829X 8081 8080	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
8251A 8251G 8251R	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	8215 8224 8829X 8081	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8251A 8251G 8251R 8255A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	8215 8224 8829X 8081 8080	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
8251A 8251G 8251R 8255A 8267	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	8215 8224 8829X 8081 8080	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
8251A 8251G 8251R 8255A 8267 5119A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) **BORTILLS & BISTILLS Ball bearings, black rubber sealed (10x15x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler)
8251A 8251G 8251R 8255A 8267 5119A 5120A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X 8218 8852R 8845	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler) Floor pans, left & right Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler) Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right)
8251A 8251G 8251R 8255A 8267 5119A 5120A 5104A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X 8218 8852R	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler) Floor pans, left & right Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler) Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right) Mounting plate, winch/ 3x15mm CCS (4)/ 2.5x12mm CCS (4) (fits
8251A 8251G 8251R 8255A 8267 5119A 5120A 5104A 5115A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X 8218 8852R 8845 8844X	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler) Floor pans, left & right Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler) Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right) Mounting plate, winch/ 3x15mm CCS (4)/ 2.5x12mm CCS (4) (fits TRX-6® Ultimate RC Hauler))
8251A 8251G 8251R 8255A 8267 5119A 5119A 5110A 5110A 5110A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Berifica & Bisifica S Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X 8218 8852R 8845	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler) Floor pans, left & right Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler) Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right) Mounting plate, winch/ 3x15mm CCS (4)/ 2.5x12mm CCS (4) (fits TRX-6® Ultimate RC Hauler)) Receiver box cover (for use only with #8224 receiver box &
8251A 8251G 8251R 8255A 8267 5119A 5120A 5104A 5115A	(2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2)	8215 8224 8829X 8081 8080 8072 8852X 8218 8852R 8845 8844X	inner fenders) Body mounts & posts, front & rear (complete set) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis rails, 783mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler) Floor pans, left & right Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler) Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right) Mounting plate, winch/ 3x15mm CCS (4)/ 2.5x12mm CCS (4) (fits TRX-6® Ultimate RC Hauler))

Page 2	TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enal	bled 2.40	GHz Radio (Model 88086-84) Parts List
8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3229 3236	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	2618	Screws, 2.5x12mm cap-head machine (6)
8239	Servo mount, steering/ chassis crossmember	3215	Screws, 2.5x6mm cap-head machine (by
8216	Shock towers, front & rear (left & right)	2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
8852	Side frames, flatbed (left, right, & rear) (fits TRX-6® Ultimate RC	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
	Hauler)	3965	Screws, 2.5x8mm cap-head machine (6)
8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	suspension link mounts (left & right)/ 2.5x12 CS (4)	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8830	Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2211	suspension link mounts (left & right)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8844	Tie-down bands, rubber (4) (fits wheel chocks on TRX-6® Ultimate	2578	Screws, 3x12mm button-head machine (hex drive) (6)
8842	RC Hauler)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8844R	Tray, battery Wheel chocks, flatbed (1 pair, front or rear) (fits TRX-6®Ultimate RC	2591	Screws, 3x23mm button-head machine (hex drive) (6)
004410	Hauler)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
	Differential Components	2616	Screws, 3x27mm button-head machine (hex drive) (6)
	_	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8840	Cable, T-lock, 4XL (417mm)	2575 3932	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)
8281	Carrier, differential/ differential slider/ T-Lock fork	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8280A	Differential cover, front or rear (black)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8280X 8280	Differential cover, front or rear (chrome plated) Differential cover, front or rear (grey)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8280R	Differential cover, front or rear (grey)	0000	
8846	Differential cover, TRX-6™ intermediate (black)		LED Lights
8847	Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)	8848	LED light set (contains headlights & roof lights) (fits #8823 body)
8195	Differential, locking, front and rear (assembled) (includes T-Lock	8848X	LED light set, flatbed (upper & lower) (fits TRX-6® Ultimate RC
0.00	cables and servos)	0040D	Hauler)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear	8848R	LED light set, tail lights (requires #8838X rear bumper)
	shaft (2))		Motors & Electronics
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup	1926	Antenna caps, vinyl (2)/ antenna spool
	(1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	axle configuration)	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup	0070	(includes receiver box cover and seals)
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)	2072X	Gear set, metal (for 2070, 2075 servos)
	(1) 3x6 BCS with threadlock (1))	2252 2072R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high-speed (for 2070, 2075 servos)
8279	Ring gear, differential/ pinion gear, differential	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8279R	Ring gear, differential/ pinion gear, differential (machined)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8287	Ring gear, differential/ pinion gear, differential (overdrive,	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
0000	machined)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)	3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with	8290	Plate, motor/ upper spur gear cover
	threadlock) (4)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
	Driveline Components	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8851	Carrier shaft, center	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8850	Half shafts, center (internal splined, extra short (1)/ external splined,	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
0000	extra short (1)) (plastic parts only)	2000%	servo)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear	8843	Servo horn (with built-in spring and hardware) (for 6X6 locking
	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)		differential)
8255A	Stub axle, extended thread (portal drive) (2)	5669	Servo horn (with built-in spring and hardware) (for Summit locking
8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/	207ED	differential)
8269	suspension link mounts (left & right)/ 2.5x12 CS (4) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	2230	waterproof (#2262 external BEC and #8247X metal servo horn
020071	3x10 screw pin (4)		recommended for optimal performance)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	anodized) (4)/ 3x10 screw pin (4)		bearing), waterproof (#2262 external BEC and #8247 steel servo
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	00757	horn recommended for optimal performance)
8269R	3x10 screw pin (4) Wheel hube 13mm hex 6061 T6 eluminum (red enedited) (4)/	2075X 3025	Servo, digital high-torque, metal gear (ball bearing), waterproof XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
0203K	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)	3023	detection, fwd/rev/brake)
	Hardware	2261	Y-harness, BEC
			Pro Scale® Winch & Accessories
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	0005	
1834	Body Clips (12) (standard size)	8865	Bumper, front, winch, narrow (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® Land Rover® Defender® and
1834A 3934	Body clips, black (12) (standard size)		Tactical Unit with 8855 winch) (200mm wide)
3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	8859	Fairlead, winch
4859	CS 3x10 flathead (hex drive)	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless		bumpers #8865, 8866, 8867, 8869, or 9224)
	steel hardware for 4 wheels)	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	00700	bumpers #8865, 8866, 8867, 8869, or 9224)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8870T	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (orange-anodized) (use with front
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)	307 01	bumpers #8865, 8866, 8867, 8869, or 9224)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8862	Gearmotor, winch
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8863	Hook, winch (steel)/ line retainer/ washer
1747T 1985	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8858	Housings (front & rear), winch/ decal
8221	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6)	8864X	Line, winch (blue)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)	8864	Line, winch (gray)
	, =-ox. o ooao.oaiik maoiimo (nox anvo) (o)		

Page 3	TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-84) Parts List	
--------	--	--

Page 3	TRX-6® Ultimate RC Hauler: TQi Traxxas Link Ena	bled 2.40	GHz Radio (Model 88086-84) Parts List
8864R	Line, winch (red)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
8860	Spool shaft assembly, winch		#6550X telemetry expander)
8861	Spool, winch	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
8855	Winch kit with wireless controller, TRX-4® and TRX-6®	6511	channel (transmitter only) Traxxas® Link Bluetooth® module
8856 8857	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote) Wireless remote, winch, TRX-4® and TRX-6®	2261	Y-harness, BEC
0037		2201	Ready-To-Race Model
00.40\	Radio System, Batteries & Chargers	88086-4	TRX-6® Ultimate RC Hauler: 6X6 Electric Flatbed Truck with TQi™
2849X 2872X	4000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 11.1v 3-Cell 25C LiPo Battery	00000-4	Traxxas Link™ Enabled 2.4GHz Radio System
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery		Shocks (GTS)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	8266G	Body, GTS shock (aluminum, green-anodized) (1)
2914	AA 4PK	8266R	Body, GTS shock (aluminum, red-anodized) (1)
2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2930A	batteries to separate balance ports)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2943	Battery charge indicators, green (4), grey (4), blue (4)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	5475	Multi-tool (plastic)
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	8261	Piston, damper (red) (4)/ e-clips (8)
	LiPo batteries)	8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8263	Shock shaft, 3x47mm (GTS) (2)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2950X 2960X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	00004	TiN shafts (assembled with spring retainers) (2)
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers) (2)
	iD® battery (1))	8260G	Shocks, GTS, green-anodized (assembled with spring retainers)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		(2)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2991	Battery/charger completer pack (includes #2972 Dual iD charger		Slipper Clutch Components
2262	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	8292	Input shaft/ output shaft (transmission)
2202	(includes receiver box cover and seals)	8286 8254	Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	020-	(1)/ spring washers (2))
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	8249	Slipper eliminator plate
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		Springs
20.0	Battery Identification	8041	Springs, shock (GTS) (front) (0.45 rate) (2)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
2971	Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
29/ 1	Identification	8043 8044	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
6525	Communication link, telemetry expander	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
6512	Cover plate, Traxxas® Link Bluetooth® module		Spur Gears & Pinion Gears
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
2072X 2252	Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	20.427	(fits 3mm shaft)/ set screw
	Traxxas® iD® batteries)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)
6561	Mount, telemetry expander		(fits 3mm shaft)/ set screw
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
0500	pad	3946X	(fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	00407	(fits 3mm shaft)/ set screw
0332	grease)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)
6526	Sensor, auto-detectable, temperature	20.40V	(fits 3mm shaft)/ set screw
6527	Sensor, auto-detectable, voltage	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6521	Sensor, temperature and voltage (long)	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
2254 2253	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)		(fits 3mm shaft)/ set screw
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
	2250, 2255 servos)	3951X	(fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro		(fits 3mm shaft)/ set screw
2075R	servo) Servo, digital high-speed, metal gear (ball bearing), waterproof	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	0745	(fits 3mm shaft)/ set screw
	waterproof (#2262 external BEC and #8247X metal servo horn	6745 8052	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch)
0055	recommended for optimal performance)	8053	Spur gear, 45-tooth (32-pitch)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo		Steering Components
	horn recommended for optimal performance)	8232	Caster blocks (portal drive), left & right
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right
	•	02323	Caster brooks, 0001-10 aranimiani (green-anouizea), ien and right

_			
Page 4	TRX-6® Ultimate RC Hauler: TQi Traxxas Link Ena	bled 2.4	GHz Radio (Model 88086-84) Parts List
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	8854	Tires & wheels, assembled, glued (TRX-6® Big Rig 2.2" black chron
2072X	Gear set, metal (for 2070, 2075 servos)		wheels, Canyon RT 4.6x2.2" tires, foam inserts) (front) (2)/ center caps (black chrome) (2)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	8854X	Tires & wheels, assembled, glued (TRX-6® Big Rig 2.2" black chron
8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	00047	wheels, Canyon RT 4.6x2.2" tires, foam inserts) (rear) (2)/ center
3333	adjustment shims; 3.5mm (2), 1.17mm (2)		caps (black chrome) (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8871	Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2"
	(4))	0070	diameter wheel)
8276	Rod ends (10)	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
8277	Rod ends, angled 10-degrees (8)	8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
2742	Rod ends, long (6)/ hollow ball connectors (6)	0203A	3x10 screw pin (4)
3278 3247X	Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		anodized) (4)/ 3x10 screw pin (4)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	00000	3x10 screw pin (4)
	captured (4)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8175	3x10 screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	0175	#8255A extended thread stub axle)
3244	Suspension link, front, 5x63mm (upper) (steel) (2)	8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
3245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)		#8255A extended thread stub axle)
	Suspension Linkage	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
3274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		chrome, beadlock) (beadlock rings sold separately)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
	adjustment shims; 3.5mm (2), 1.17mm (2)	8271	gray, beadlock) (beadlock rings sold separately) Wheels, TRX-4® 1.9 (2)
3275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
2070	(4))	8178	Wheels, TRX-4® Sport 1.9 (2)
3276	Rod ends (10)	8268	Wheels, TRX-4® Tactical 1.9 (2)
3277	Rod ends, angled 10-degrees (8)	8876	Wheels, TRX-6® Big Rig 2.2" (black chrome) (front) (2)/ center caps
2742 3278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	00.0	(black chrome) (2)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8876X	Wheels, TRX-6® Big Rig 2.2" (black chrome) (rear) (2)/ center caps
3023	captured (4)		(black chrome) (2)
3243	Suspension link, front, 5x100mm (lower) (steel) (2)		Transmission Components
3244	Suspension link, front, 5x63mm (upper) (steel) (2)	8283	Cable, T-lock (front)
3245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8839	Cable, T-lock, 3XL (298mm)
3831	Suspension links, rear lower, 5x95mm (2) (steel)	8840	Cable, T-lock, 4XL (417mm)
3832	Suspension links, rear upper, 5x76mm (2) (steel)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
3833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/		cables and servos)
	suspension link mounts (left & right)/ 2.5x12 CS (4)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
	Team Traxxas Items	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
2514	Decal sheet, racing sponsors	0004	output gear, 2x9.8 pins (5))
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8291 8285	Gearbox housing (includes main housing, front housing, & cover)
950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	5041	Gears, transfer case (3)
9909	Traxxas® racing banner, red & black (3x7 feet)	8292	Grease, premium high performance (20cc) Input shaft/ output shaft (transmission)
	Tires & Wheels	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
3169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
3169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
3169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
3169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	8849	Output drive, transmission or differential (pin retainer (1)/ drive cup
3875	Center caps (2)/ beadlock rings (2) (requires #8255A extended		(1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/
	thread stub axle)		cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6
3876R	Center caps, 2.2" TRX-6® Big Rig wheels, black chrome (front (2),	9204	axle configuration)
1464	rear (2))	8294	Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear
3164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)	8286 8290	Output snaπs (transfer case), front & rear Plate, motor/ upper spur gear cover
176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8290 8249	Slipper eliminator plate
,,,,	extended thread stub axle)	8296	Transmission gears, single speed, metal
3164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A	8196	Two speed conversion kit
	extended stub axle)		Traxxas Tools
174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	0.400**	
	1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	3433X	Body reamer (aluminum handle)

00/5	thread stub axle)		cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6
8876R	Center caps, 2.2" TRX-6® Big Rig wheels, black chrome (front (2),		axle configuration)
	rear (2))	8294	Output gear, high range, 24T (metal)
8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8286	Output shafts (transfer case), front & rear
	extended thread stub axle)	8290	Plate, motor/ upper spur gear cover
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8249	Slipper eliminator plate
	extended thread stub axle)	8296	Transmission gears, single speed, metal
8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A	8196	Two speed conversion kit
	extended stub axle)		Traxxas Tools
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	3433X	Body reamer (aluminum handle)
	1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,	3433A	Body reamer (plastic handle)
0477	foam inserts) (1 left, 1 right)	3436	Cap, body reamer
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	3432	Scissors, curved tip
	#8255A extended thread stub axle)	3431	Scissors, straight tip
8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
0100	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	07 12	premium handle (medium), travel pouch, hex drivers (straight:
	#8255A extended thread stub axle)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8874	Tires & wheels, assembled, glued (2.2" black Mercedes-Benz® G		and 8.0mm), 1/4" drive
	63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/	8720	Speed bit handle, large (overmolded)
	beadlock rings (2) (requires #8255A extended thread stub axle)	8721	Speed bit handle, medium (one piece)
8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon	8722	Speed bit handle, premium (rubber overmold)
	Trail 4.6x1.9" tires) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock		premium handle (medium), travel pouch, hex drivers (straight:
	wheels, Canyon Trail 4.6x1.9" tires) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
	Trail 4.6x1.9" tires) (2)		8.0mm), 1/4" drive
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,		
	Canyon Trail 4.6x1.9" tires) (2)		

Page 5 TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-84) Parts List

8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM