

Drag Slash Ford® Mustang® 5.0 (Model 94346-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12
2728	Ball bearings (5x8x2.5mm) (2)	9463G	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	34000	BCS (with threadlock) (2)
5114 1985	Ball bearings, blue rubber shield (5x8x2.5mm) (2) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
1000	Body & Accessories	9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12
1926	Antenna caps, vinyl (2)/ antenna spool	9463R	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)	3400IX	BCS (with threadlock) (2)
9415	Body accessories, Chevrolet C10, black (includes grille (upper &	9435	Body bumper, foam
	lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)	9419	Body bumper, foam
9415X	Body accessories, Chevrolet C10, black chrome (includes grille	3619	Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
	(upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)	5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
9415R	Body accessories, Chevrolet C10, chrome (includes grille (upper	9420	Bumper, chassis, front (upper & lower)
	& lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)	5830	Chassis conversion kit, low CG (Slash®)
9415A	Body accessories, Chevrolet C10, satin black chrome (includes	5832	Chassis, low CG (black)
	grille (upper & lower), headlight housings (left & right), bumpers	5832A	Chassis, low CG (blue)
	(front & rear), mounting retainers and hardware)	5832G	Chassis, low CG (grey)
9435	Body bumper, foam	9499 5827	Display stand, Drag Slash® Hold down, battery/ hold down retainer/ battery post/ foam spacer/
3935 3935A	Body clip (mounting clip), angled, 90-degrees (10) Body clip (mounting clip), angled, 90-degrees (black) (10)	3021	angled body clip
3934	Body clips, heavy duty (12)	5827X	Hold down, battery/ hold down retainer/ battery post/ foam
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw		spacer/ angled body clip (allows for installation of taller, multi- cell batteries)
9417	pins (4) Body mount posts, rear (2)	5831	Lower chassis, low CG (black)
3619	Body mounts, front & rear/ body mount posts, front & rear	5831A	Lower chassis, low CG (blue)
	(adjustable)/ 2.5x18mm screw pins (4)	5831G	Lower chassis, low CG (grey)
1815	Body washers (8)	5823	Nerf bars, chassis (black)
6716	Body Washers, Foam, 2mm/3mm/4mm	5833	Nerf bars, low CG (black) Nerf bars, low CG (blue)
9411	Body, Chevrolet C10 (clear, requires painting)/ window masks	5833A 5833G	Nerf bars, low CG (bide) Nerf bars, low CG (grey)
9411A	Body, Chevrolet C10, black (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)	5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9411X	Body, Chevrolet C10, blue (painted) (includes wing & decals)	9418	Shock tower, rear
	(requires #9415 series body accessories to complete body)	9462X	Side plates, wheelie bar, blue (aluminum) (2)
9411G	Body, Chevrolet C10, green (painted) (includes wing & decals)	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
04440	(requires #9415 series body accessories to complete body)	9462G	Side plates, wheelie bar, green (aluminum) (2)
9411P	Body, Chevrolet C10, purple (painted) (includes wing & decals) (requires #9415 series body accessories to complete body)	9462A 9462P	Side plates, wheelie bar, orange (aluminum) (2) Side plates, wheelie bar, pink (aluminum) (2)
9411R	Body, Chevrolet C10, red (painted) (includes wing & decals)	9462R	Side plates, wheelie bar, red (aluminum) (2)
9411T	(requires #9415 series body accessories to complete body) Body, Chevrolet C10, white (painted) (includes wing & decals)	9464 9460	Wheelie bar mount (heavy duty)
04111	(requires #9415 series body accessories to complete body)	9460X	Wheelie bar, black (assembled)/ wheelie bar mount Wheelie bar, black chrome (assembled)/ wheelie bar mount
9421	Body, Ford Mustang, Fox Body (clear, requires painting)/ window	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
	masks/ decal sheet (includes side mirrors, wing, wing retainer,		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	rear body mount posts, foam body bumper, & mounting hardware)	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9421A	Body, Ford Mustang, Fox Body, black (painted, decals applied)	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
	(includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9421X	Body, Ford Mustang, Fox Body, blue (painted, decals applied)	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
	(includes side mirrors, wing, wing retainer, rear body mount	9461P	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
0.404.5	posts, foam body bumper, & mounting hardware)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9421G	Body, Ford Mustang, Fox Body, green (painted, decals applied)	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/
	(includes side mirrors, wing, wing retainer, rear body mount posts, foam body bumper, & mounting hardware)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9421R	Body, Ford Mustang, Fox Body, red (painted, decals applied)	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
	(includes side mirrors, wing, wing retainer, rear body mount posts,		Differential Components
0446	foam body bumper, & mounting hardware)	9480	Differential assembly, center, complete (assembled with 500K
9413	Decal sheet, Chevrolet C10		oil) (fits Drag Slash®)
2514 9499	Decal sheet, racing sponsors Display stand, Drag Slash®	9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9422	Mirrors, side (left & right)/ o-rings (4)/ body clips (4) (fits #9421 body)	9482	Differential gasket/ x-rings (2)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/
9414	Wing/ support/ side plates (left & right)/ 3x10 BCS (4) (fits #9411		2.5x10mm BCS (4)
	series bodies)	6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
9416	Wing/ wing retainer/ 2.6x12mm BCS (4) (fits #9421 series bodies)	5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
	Chassis & Attachments	1647	Silicone Grease
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool		Driveline Components
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/
	BCS (with threadlock) (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
			9181, 9182 upgrade kit)

9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2728	Front Suspension & Steering Ball bearings (5x8x2.5mm) (2)
9150-ORNG	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	5116 2530	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black)
9150-RED	#9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2530A 9135	Bulkhead (front) (grey) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182
9450	9181, 9182 upgrade kit) Driveshaft assembly (1), left or right (fully assembled, ready to install)/	9135-BLUE	upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
9450R	screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	9135-GRAY	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
9451	Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
2754	Drag Slash®) Stub axle pins (4)	9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9135-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right) 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-BLUE	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
0150 CDAY	9181, 9182 upgrade kit)	2437	Front axles (2)/ 4mm nylon locknuts (2)
9150-GRA1	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hing pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,	6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
9150-GRN	9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	5347 3646	Rod ends, Revo® (large) with hollow balls (12) Screws, 3x15mm flat-head machine (hex drive) (6)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3744	Servo saver w/ adapters
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3639 3743A	Shock tower (front) Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3743G	servo saver w/adapters) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
9135	9181, 9182 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/	3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
0135_RI IIE	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/	3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum 5x8mm ball bearings (4)/ hardware (assembled)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
9135-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mr hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9135-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)		Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)		Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9182	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Bandit® or Drag Slash®)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
9182-GRN	(fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	9137-RED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9182-ORNG	green (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	3636T	upgrade kit) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
9182-RED	orange (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	2754	aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4)
9137	red (fits Bandit® or Drag Slash®) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2531A 2531L	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, blue, front, heavy duty (2) (requires #3632
9137-BLUE	upgrade kit) Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2531L 2531G	series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632
9137-GRAY	upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm	2531T	series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2531R	series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	2640	Suspension pins, 44mm (2) w/ E-clips

3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a		Motors & Electronics
	complete suspension pin set) (Rustler®, Stampede®, Bandit)	17064	
2532	Tie bar, fiberglass	1726A 2260	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
935	Turnbuckles, 36mm (2)	2200	voltage)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)	3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL-
445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled		2s™
.1-10	with rod ends and hollow balls)	9491	Gear adapter set, fixed (48-pitch)
	Hardware	2072A	Gear set (for 2070, 2075 servos)
026		2252	Gear set, metal (for 2250, 2255 servos)
926 726A	Antenna caps, vinyl (2)/ antenna spool Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)	2272 3354R	Gear set, metal (for 2270 waterproof servo) Motor cover, endbell (Velineon® 3500)
935	Body clip (mounting clip), angled, 90-degrees (10)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire
935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	33311	and gold-plated bullet connectors)
934	Body clips, heavy duty (12)	9490	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
859	CS 3x10 flathead (hex drive)	9490X	Plate, motor, lightweight machined 6061-T6 aluminum (blue-
1589	Double-sided adhesive tape (25mm x 25mm)		anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
633	E-clips/ C-rings	9490T	Plate, motor, lightweight machined 6061-T6 aluminum (gray-
2745	Nuts, 3mm nylon locking (12)	04000	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	9490G	Plate, motor, lightweight machined 6061-T6 aluminum (green- anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	9490A	Plate, motor, lightweight machined 6061-T6 aluminum (orange-
747 747R	Nuts, 4mm nylon locking (10)	010071	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	9490P	Plate, motor, lightweight machined 6061-T6 aluminum (pink-
1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	9490R	Plate, motor, lightweight machined 6061-T6 aluminum (red-
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	00=0=	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2
5525	Rod ends (12)/ hollow balls (12)	3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm babearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
5347	Rod ends, Revo® (large) with hollow balls (12)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2742X	Rod ends, short (6)/ hollow balls (6)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
3236	Screws, 2.5x12mm cap-head machine (6)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (fo
3965	Screws, 2.5x8mm cap-head machine (6)		2250, 2255 servos)
3299 2577	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	2271	Servo case/ gaskets (for 2270 waterproof servo)
2377	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	hex wrench	2075	Servo, digital high-torque (ball bearing), waterproof
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing waterproof
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
2579	Screws, 3x15mm button-head machine (hex drive) (6)		bearing), waterproof
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2280	Servo, digital high-torque 600 brushless, metal gear (ball
3646	Screws, 3x15mm flat-head machine (hex drive) (6)		bearing), waterproof
2583 2580	Screws, 3x18 button-head machine (hex drive) (6)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2591	Screws, 3x20mm button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2582	Screws, 3x30mm button-head machine (hex drive) (6)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control
2592	Screws, 3x40mm button-head machine (hex drive) (6)		mounting plate (part #3725))
2575	Screws, 3x6mm button-head machine (hex drive) (6)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		(fwd/rev/brake)
2576	Screws, 3x8mm button-head machine (hex drive) (6)		Radio System, Batteries & Chargers
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2743 5529	Set (grub) screws, 3mm hardened (12) Shim set 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow halls	2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
JJ23	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
3967	Shoulder screws 3x10 (6) (without threadlock)	2976	AC to DC adapter
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
2754	Stub axle pins (4)	FF00	batteries to separate balance ports)
2746	Washers, 3x6mm metal (12)	5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
	LED Lights	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
9496X	LED light set, front, complete (blue) (includes light harness,	2943 6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
- 1 30A	power harness, clear lenses (2), zip ties (3))	0040	transmitter)
9496G	LED light set, front, complete (green) (includes light harness,	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
	power harness, clear lenses (2), zip ties (3))	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
9496R	LED light set, front, complete (red) (includes light harness,	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
	power harness, clear lenses (2), zip ties (3))	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
9496	LED light set, front, complete (white) (includes light harness,	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
04077	power harness, zip ties (3))	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
9497X	LED lights, tail lights (red)/ power harness/ tail light housings	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
9497	(left & right)/ tailgate trim (black chrome)/ zip ties (3) LED lights, tail lights (red)/ power harness/ tail light housings	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
J+3 [(left & right)/ tailgate trim (black)/ zip ties (3)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
9497R	LED lights, tail lights (red)/ power harness/ tail light housings		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM
	(left & right)/ tailgate trim (chrome)/ zip ties (3)	2992	iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1)
9497A	LED lights, tail lights (red)/ power harness/ tail light housings	2332	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)
	(left 9 visibit) toil meta trim (actin block abroma)/ vin tice (2)		* · · · ·
	(left & right)/ tailgate trim (satin black chrome)/ zip ties (3)	2994	Battery/charger completer pack (includes #2970 iD® charger (1)

Page 4	Drag Slash Ford® Mustang® 5.0: TQi™ Traxxas Link™ I	Enabled 2	2.4GHz Radio & TSM® (Model 94346-74) Parts List
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	9418 2750A	Shock tower, rear Suspension arms, black, rear (left & right), heavy duty (2)
2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	9430	Suspension arms, black, rear (left & right), heavy duty, 0° toe angle (2)
2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	9431	Suspension arms, black, rear (left & right), heavy duty, 1° toe angle (2)
2970	Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	9432	Suspension arms, black, rear (left & right), heavy duty, 2° toe angle (2)
2981	Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	2750X 2750G	Suspension arms, blue, rear (left & right), heavy duty (2) Suspension arms, green, rear (left & right), heavy duty (2)
2985	Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	2750T 2750L	Suspension arms, orange, rear (left & right), heavy duty (2) Suspension arms, red, rear (left & right), heavy duty (2)
6512	Battery Identification Cover plate, Traxxas® Link Bluetooth® module	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®	2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2978 2072A	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos)		Shock Oil
2252	Gear set, metal (for 2250, 2255 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2272	Gear set, metal (for 2270 waterproof servo)	5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6533	pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	OUOOX	80 wt premium shock oils with spinning carousel rack)
6521	Sensor, temperature and voltage (long)	5038	Spinning carousel rack
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)		Shocks (Pro-level Aluminum)
2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2664	Big Bore shock cylinder (long) (1)
2231	2250, 2255 servos)	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
2271	Servo case/ gaskets (for 2270 waterproof servo)	2669	aluminum) (assembled with TiN shafts) w/o springs (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2003	& washers (2) (Big Bore Shocks)
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2073 2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	0740	(2)
	waterproof	2742X 2667	Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) (Big Bore Shocks)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2362	Shock rebuild kit (for 2 shocks)
2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	1664	Shock shafts, steel, chrome finish (long) (2)
6550X	Telemetry expander 2.0, TQi radio system (for use only with	1765 2668	Silicone diaphragms (4)
6551X	#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	2000	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	07054	Shocks (Ultra Shocks)
6540	Telemetry trigger magnet, 5X2mm (1)	3765A 5462	Body, Ultra Shock (long) (grey) (2) Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons,
6529A	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	3402	piston nuts, shock rod ends) renews 2 shocks
	channel (transmitter only) (drag version)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6511 3355R	Traxxas® Link Bluetooth® module VXL-3s Waterproof Electronic Speed Control (brushless)	07.40\/	(2)
333313	(fwd/rev/brake)	2742X 3767	Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)
	Ready-To-Race Model	8361	Shock caps (black) (4) (assembled with hollow balls)
94346-74	Drag Slash with Ford® Mustang 5.0 Body: 1/10 Scale 2WD Drag	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
34040-74	Racing Car with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®	3767G 3767T	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
	Rear Suspension		Shocks)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	3767X 2362	Shock caps, auminum (red-anodized) (4) (fits all Oftra Shocks) Shock rebuild kit (for 2 shocks)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
9150-BLUE	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	1664 3642X 1765	Shock shafts, steel, chrome finish (long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4)
	9181, 9182 upgrade kit)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2458P 2458A	Springs (front) (pink) (2) Springs (front) (white) (2)
	9181, 9182 upgrade kit)	2458 5857P	Springs, front (black) (2) Springs, front (pink) (progressive rate) (2)
9150-ORNG	G Carriers, stub axle, rear, extreme heavy duty, orange (left &	6863	Springs, front (progressive, +10% rate, pink) (2)
9150-RED	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	6864	Springs, front (progressive, +20% rate, blue) (2) (also used on Drag Slash rear shocks)
0.30-KLD	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	6862	Springs, front (progressive, -10% rate, green) (2)
0.450	9181, 9182 upgrade kit)	6861 6857	Springs, front (progressive, -20% rate, orange) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)	6857 5857	Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2)

Page 5	Drag Slash Ford® Mustang® 5.0: TQi™ Traxxas Link™	Enabled :	2.4GHz Radio & TSM® (Model 94346-74) Parts List
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)	2443G	and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
	Slipper Clutch Components		stronger than titanium) (2) (assembled with rod ends and hollow
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits	2443T	balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum,
	Bandit®, Rustler®, Stampede®, Slash® 2WD)	24431	stronger than titanium) (2) (assembled with rod ends and hollow
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		balls)/ aluminum wrench (1)
0554	4.0mm NL (1)/ 5.0mm NL (1))	2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum,
2554 5556	Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3330	Spur Gears & Pinion Gears	2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
0.40.4			stronger than titanium) (2) (assembled with rod ends and hollow
9491	Gear adapter set, fixed (48-pitch)		balls)/ aluminum wrench (1)
2416 1918	Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2419	Gear, 19-T pinion (48-pitch) / set screw	5347 3744	Rod ends, Revo® (large) with hollow balls (12) Servo saver w/ adapters
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw	2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw		suspension arm to caster block)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2640	Suspension pins, 44mm (2) w/ E-clips
4728 2429	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2445X	complete suspension pin set) (Rustler®, Stampede®, Bandit) Toe links, front (TUBES blue-anodized, 7075-T6 aluminum,
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	24437	stronger than titanium) (2) (assembled with rod ends and hollow
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper		balls)/ aluminum wrench (1)
	clutch)	2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control		aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
4686	slipper clutch) Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum,
4000	slipper clutch)		stronger than titanium) (2) (assembled with rod ends and hollow
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control		balls)/ aluminum wrench (1)
	slipper clutch)	2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum,
	Steering Components		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2728	Ball bearings (5x8x2.5mm) (2)	2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum,
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/		stronger than titanium) (2) (assembled with rod ends and hollow
1005	hollow balls (2)		balls)/ aluminum wrench (1)
1985 2742	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends, long (6)/ hollow ball connectors (6)	2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
5347	Rod ends, Revo® (large) with hollow balls (12)		balls)/ aluminum wrench (1)
3744	Servo saver w/ adapters	2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear)
3967	Shoulder screws 3x10 (6) (without threadlock)		(assembled with rod ends and hollow balls) (1 left, 1 right)
3743	Steering bellcranks (I&r)/ draglink	2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled
	5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)	2440	with rod ends and hollow balls)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6		Team Traxxas Items
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6	6596	Battery door, drag start light
3743P	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	2514	Decal sheet, racing sponsors
37 431	5x8mm ball bearings (4)/ hardware (assembled)	6595	Drag racing start light
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	9950	similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)
COAEV	servo saver w/adapters)	9909	Traxxas® racing banner, red & black (3x7 feet)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	3303	
1935	Turnbuckles, 36mm (2)	5440	Tires & Wheels
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled	5116 5854	Ball bearings, blue rubber sealed (5x11x4mm) (2) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
0746	with rod ends and hollow balls)	3034	#6469)
2746	Washers, 3x6mm metal (12)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
	Suspension Linkage	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	stronger than titanium) (2) (assembled with rod ends and hollow	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
2444A	balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6	1747T 1985	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
	aluminum, stronger than titanium) (2) (assembled with rod ends	1647	Silicone Grease
	and hollow balls)/ aluminum wrench (1)	2754	Stub axle pins (4)
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,	9469	Tire inserts, molded (2) (for #9475 rear tires)
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	9469R	Tire inserts, molded (2) (for #9475 rear tires) (+1 firmness)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum,	9469X 9475X	Tire inserts, molded (2) (for #9475 rear tires) (+2 firmness)
	stronger than titanium) (2) (assembled with rod ends and hollow	94757	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)
	balls)/ aluminum wrench (1)	9477X	Tires & wheels, assembled, glued (Weld black chrome wheels,
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,		Mickey Thompson® ET Drag® Slicks, smoke compound, foam
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	0.4501	inserts) (rear) (2)
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum,	9476X	Tires & wheels, assembled, glued (Weld black chrome wheels, Mickey Thompson® ET Drag® Slicks, sticky compound, foam
	stronger than titanium) (2) (assembled with rod ends and hollow		inserts) (rear) (2)
2442	balls)/ aluminum wrench (1)	9474X	Tires & wheels, assembled, glued (Weld black chrome wheels,
2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow		Mickey Thompson® ET Front® tires, foam inserts) (2)
	balls)/ aluminum wrench (1)		

474R	Tires & wheels, assembled, glued (Weld chrome wheels, Mickey	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
475R	Thompson® ET Front® tires, foam inserts) (2) Tires & wheels, assembled, glued (Weld chrome with black	1647	Silicone Grease
41 JK	wheels, Mickey Thompson® ET Drag® Slicks, foam inserts)	5556	Slipper pressure plate & hub (aluminum alloy)
	(rear) (2)	2422V	
177R	Tires & wheels, assembled, glued (Weld chrome with black wheels, Mickey Thompson® ET Drag® Slicks, smoke compound,	3433X 3433	Body reamer (aluminum handle) Body reamer (plastic handle)
	foam inserts) (rear) (2)	3436	Cap, body reamer
176R	Tires & wheels, assembled, glued (Weld chrome with black	3432	Scissors, curved tip
	wheels, Mickey Thompson® ET Drag® Slicks, sticky compound,	3431	Scissors, straight tip
75	foam inserts) (rear) (2) Tires & wheels, assembled, glued (Weld gloss black wheels,	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, include
75	Mickey Thompson® ET Drag® Slicks, foam inserts) (rear) (2)		premium handle (medium), travel pouch, hex drivers (straigh 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0m
74	Tires & wheels, assembled, glued (Weld gloss black wheels,		and 8.0mm), 1/4" drive
	Mickey Thompson® ET Front® tires, foam inserts) (2)	8720	Speed bit handle, large (overmolded)
77	Tires & wheels, assembled, glued (Weld glossy black wheels,	8721	Speed bit handle, medium (one piece)
	Mickey Thompson® ET Drag® Slicks, smoke compound, foam inserts) (rear) (2)	8722	Speed bit handle, premium (rubber overmold)
76	Tires & wheels, assembled, glued (Weld glossy black wheels,	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straigh
	Mickey Thompson® ET Drag® Slicks, sticky compound, foam		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	inserts) (rear) (2)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0r
75A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, Mickey Thompson® ET Drag® Slicks, foam inserts)	0744	8.0mm), 1/4" drive
	(rear) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball er includes premium handle (medium), travel pouch, hex driver
74A	Tires & wheels, assembled, glued (Weld satin black chrome		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
	wheels, Mickey Thompson® ET Front® tires, foam inserts) (2)		2.5mm, 3.0mm), 1/4" drive
70	Tires, front (Mickey Thompson® ET Front®) (2)/ foam inserts (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
71 71X	Tires, rear (Mickey Thompson® ET Drag® Slicks) (2) Tires, rear (Mickey Thompson® ET Drag® Slicks, smoke		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5n 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
7 17	compound) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
71R	Tires, rear (Mickey Thompson® ET Drag® Slicks, sticky		drive
	compound) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
54X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle	0745	3.0mm) 1/4" drive
54	pins(2) Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
5 4	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
53X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /		2.5mm, 3.0mm), 1/4" drive
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
	0.7 (4)/ axle pin (4) (Slash 2WD)	07400	Phillips, and #2 Phillips bits), 1/4" drive
53 80X	Wheel nuts, splined, 17mm (blue-anodized) (4)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-ju
72X	Wheel wrench, splined, 17mm Wheels, Weld black chrome (front) (2)		wrench)
73X	Wheels, Weld black chrome (rear) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm
72R	Wheels, Weld chrome (front) (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
73R	Wheels, Weld chrome with black (rear) (2)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phill #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
72	Wheels, Weld gloss black (front) (2)		wrenches/ driver handle)
73 72A	Wheels, Weld gloss black (rear) (2)		Turnbuckles & Threaded Rods
73A	Wheels, Weld satin black chrome (front) (2) Wheels, Weld satin black chrome (rear) (2)	2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminu
734		2444	stronger than titanium) (2) (assembled with rod ends and ho
	Transmission Components		balls)/ aluminum wrench (1)
16	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-To
89X	Cover, gear/ rubber gear cover plug/ 3x10mm BCS (1)/ 3x14mm BCS (1)		aluminum, stronger than titanium) (2) (assembled with rod e
180	Differential assembly, center, complete (assembled with 500K	2444G	and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 alumin
	oil) (fits Drag Slash®)	21110	stronger than titanium) (2) (assembled with rod ends and ho
82	Differential gasket/ x-rings (2)		balls), aluminum wrench (1)
81	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)	2444T	Camber links, front (TUBES orange-anodized, 7075-T6 alumi
83	Gear set, differential (spider gears (4)/ spider gear shaft (2))		stronger than titanium) (2) (assembled with rod ends and ho balls)/ aluminum wrench (1)
93	Gearbox halves, left & right/ differential cover (charcoal gray)	2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminu
48	Grease, white lithium	,	stronger than titanium) (2) (assembled with rod ends and ho
92	Idler gear, 30-tooth/ idler gear shaft (steel)	044:=	balls)/ aluminum wrench (1)
94	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits	2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminun stronger than titanium) (2) (assembled with rod ends and ho
83	Bandit®, Rustler®, Stampede®, Slash® 2WD) Output gears, differential (2)		balls)/ aluminum wrench (1)
90	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)	2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminur
90X	Plate, motor, lightweight machined 6061-T6 aluminum (blue-		stronger than titanium) (2) (assembled with rod ends and ho
	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)	24424	balls)/ aluminum wrench (1)
90T	Plate, motor, lightweight machined 6061-T6 aluminum (gray-	2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod e
000	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)		and hollow balls)/ aluminum wrench (1)
90G	Plate, motor, lightweight machined 6061-T6 aluminum (green- anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)	2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminu
90A	Plate, motor, lightweight machined 6061-T6 aluminum (orange-		stronger than titanium) (2) (assembled with rod ends and ho
	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)	24427	balls)/ aluminum wrench (1)
90P	Plate, motor, lightweight machined 6061-T6 aluminum (pink-	2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 alumin stronger than titanium) (2) (assembled with rod ends and ho
OOP	anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)		balls)/ aluminum wrench (1)
90R	Plate, motor, lightweight machined 6061-T6 aluminum (red- anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)	2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminur
95	Pro Series Magnum 272R™ Transmission, complete (assembled)		stronger than titanium) (2) (assembled with rod ends and ho
-	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	24425	balls)/ aluminum wrench (1)
52X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum stronger than titanium) (2) (assembled with rod ends and ho
	4.0mm NL (1)/ 5.0mm NL (1))		balls)/ aluminum wrench (1)

Page 7 Drag Slash Ford® Mustang® 5.0: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 94346-74) Parts List

5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM