

TRX-4M[™] 1/18 Land Rover® Defender® (Model 97054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9713	Frame, body (fender flares)/ spare tire mount (fits #9711 body)
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm	9718 9715	LED lenses, body, front & rear (complete set) (fits #9711 body) Roof rack/ spare tire cover/ cowl/ grille (fits #9711 body)
9787-GRAY	BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9716 9717	Roof, body (black) (fits #9711 body) Trail sights (left & right)/ door handles (left, right, & rear)/ front
9787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9714	bumper covers (left & right) (fits #9711 body) Windows, body (fits #9711 body)
0707 ODNO	BCS (with threadlock) (8)	9714X	Windows, body (fits #9711 body) Windows, body (tinted) (fits #9711 body)
9787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	Bod	y & Accessories (Land Rover® Defender®)
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9712	Body, Land Rover® Defender®, complete (unassembled) (white,
9787	Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with threadlock) (8)		requires painting) (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9738-BLKCR	Axle cover, front or rear (black chrome) (2)	9712-BLUE	Body, Land Rover® Defender®, complete, blue (includes grille, side
9738	Axle cover, front or rear (black) (2)		mirrors, door handles, fender flares, fuel canisters, jack, spare tire
9738-BLUE 9738-GRAY	Axle cover, front or rear (blue) (2) Axle cover, front or rear (gray) (2)	9712-GRN	mount, & clipless mounting) (requires #9734 front & rear bumpers) Body, Land Rover® Defender®, complete, green (includes grille, side
9738-RED	Axle cover, front or rear (red) (2)	07 12 01 11	mirrors, door handles, fender flares, fuel canisters, jack, spare tire
9738-SATIN	Axle cover, front or rear (satin chrome) (2)		mount, & clipless mounting) (requires #9734 front & rear bumpers)
9741	Axle housing, front & rear	9712-ORNG	Body, Land Rover® Defender®, complete, orange (includes grille, side mirrors, door handles, fender flares, fuel canisters,
9729X 9730X	Axle shaft, front (hardened steel) (1) Axle shaft, rear (hardened steel) (1)		jack, spare tire mount, & clipless mounting) (requires #9734 front
9756	Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened		& rear bumpers)
	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)	9712-RED	Body, Land Rover® Defender®, complete, red (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack, spare tire
9729	Axle shafts, front, outer (2)		mount, & clipless mounting) (requires #9734 front & rear bumpers)
9730 9743	Axle shafts, rear, outer (2) Axle, front (assembled)/ M2.5x0.45 NL (2)	9712-SLVR	Body, Land Rover® Defender®, complete, silver (includes grille, side
9744	Axle, rear (assembled)/ M2.5x0.45 NL (2)		mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9779	Gears, axle (metal, front & rear)	9712-TAN	Body, Land Rover® Defender®, complete, tan (includes grille,
9777	Ring gear, axle (2)/ pinion gear, axle (2)		side mirrors, door handles, fender flares, fuel canisters, jack,
9765 9753	Skidplate, axle, front or rear (stainless steel) (2) Stub axle, front (2)/ cross pins (2)/ drive pins (4)		spare tire mount, & clipless mounting) (requires #9734 front &
9753X	Stub axle, front (bardened steel) (1)	9794	rear bumpers) Display stand (155mm wheelbase)
	Bearings & Bushings	9731	Door handles (4)/ light mounts, front (left & right)/ light retainers, front
9745X	Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8),		bumper (left & right)/ fuel cap/ snorkel/ spare tire mount (fits #9712
	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9728	body) ExoCage/ roof basket (top, bottom, & sides (left & right)) (fits #9712
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm	0.20	body)
	(4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9724	Frame, body (fender flares) (fits #9712 body)
0744 WUIT	Body & Accessories (Ford® Bronco®)	9721 9720	Fuel canisters (left & right)/ jack (red) (fits #9712 body) Grille/ mirrors, side (left & right)/ spare tire cover/ light retainers, body
9711-WHT	Body, Ford Bronco, complete (assembled) (white) (includes grille, side mirrors, door handles, fender flares, windshield		(front & rear, left & right)/ decal sheet (fits #9712 body)
	wipers, spare tire mount, & clipless mounting) (requires #9735	9719	LED lenses, headlight (2), tail light (2) (fits #9712 body)
9711	front & rear bumpers) Body, Ford Bronco, complete (unassembled) (white, requires	9788 9725	Roof, body (black) (fits #9712 body) Windows, body (fits #9712 body)
0	painting) (includes grille, side mirrors, door handles, fender	9725X	Windows, body (tinted) (fits #9712 body)
	flares, windshield wipers, spare tire mount, & clipless mounting)		Bumpers & Skidplates
9711-ARE51	(requires #9735 front & rear bumpers) Body, Ford Bronco, complete, Area 51 (includes grille, side	9734R	Bumper D-rings, front or rear, 6061-T6 aluminum (red-anodized)
	mirrors, door handles, fender flares, windshield wipers, spare		(4)/ 1.6x5mm CS (with threadlock) (4) (fits #9734X or 9735X aluminum bumpers)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9734X	Bumper, front (1), rear (1), 6061-T6 aluminum (black-anodized)
9711-BLK	Body, Ford Bronco, complete, black (includes grille, side		(assembled with D-rings)/ bumper mounts (front & rear)/
	mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear		2.5x8mm BCS (with threadlock) (4) (fits TRX-4M™ Land Rover® Defender®)
	bumpers)	9734	Bumper, front (1)/ rear (1)
9711-BLUE	Body, Ford Bronco, complete, blue (includes grille, side mirrors,	9765	Skidplate, axle, front or rear (stainless steel) (2)
	door handles, fender flares, windshield wipers, spare tire mount,		Skidplate, center/ bumper mount, front/ bumper mount, rear
9711-GRAY	& clipless mounting) (requires #9735 front & rear bumpers) Body, Ford Bronco, complete, Cactus Gray (includes grille, side	9766	Skidplate, chassis (stainless steel)
	mirrors, door handles, fender flares, windshield wipers, spare		Chassis & Attachments
	tire mount, & clipless mounting) (requires #9735 front & rear	9727 9722	Battery strap Chassis rails, 202mm (steel) (left & right)
9711-CYBER	bumpers) Body, Ford Bronco, complete, Cyber Orange (includes grille,	9794	Display stand (155mm wheelbase)
0, 1, 0, 5,	side mirrors, door handles, fender flares, windshield wipers,	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
	spare tire mount, & clipless mounting) (requires #9735 front &	9739-GRAY	Servo mount, 6061-T6 aluminum (dark titanium-anodized)
9723-DKGPV	rear bumpers) ′ Body, Ford Bronco, complete, dark gray (includes grille, side	9739-GRN	Servo mount, 6061-T6 aluminum (green-anodized)
5, 25-DRGR1	mirrors, door handles, fender flares, windshield wipers, spare	9739-ORNG 9739-RED	Servo mount, 6061-T6 aluminum (orange-anodized) Servo mount, 6061-T6 aluminum (red-anodized)
	tire mount, & clipless mounting) (requires #9735 front & rear	9739 9739	Servo mount, steering/ servo horn
0711 DED	bumpers) Body, Ford Bronco, complete, red (includes grille, side mirrors,	9726	Shock mounts (front & rear)/ battery tray
9711-RED	door handles, fender flares, windshield wipers, spare tire mount,	9736	Skidplate, center/ bumper mount, front/ bumper mount, rear
	& clipless mounting) (requires #9735 front & rear bumpers)	9766	Skidplate, chassis (stainless steel)
9794	Display stand (155mm wheelbase)		

Page 2 TRX-4M[™] 1/18 Land Rover® Defender®: TQ 2.4 GHz Radio (Model 97054-1) Parts List

9752-BLUE Drive (from 1/18 9752-GRAY Drive (anoc drive 9852-GRAY Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRD Drive (from 1/18 9752-GRD Drive (from 1/18 9752-GRD Drive (from 1/18 9751-GRAY Drive (from 1/18 9751-GRAY Drive (GRO) 9852-GRD Drive (from 1/18 9751-GRAY Drive GO61 (with 9751-GRAY Drive Go61 1.6x; 9754 Rebu drive cents 9746 Hard TRX. 9746X Hard 9746X Hard 9789 LED bar, 9790 LED 9784 Pro 3 harm boddy 9786 Wire	veshafts, center, assembled (front & rear) (fits 1/18 scale TRX- ™ vehicles with 155mm wheelbase) veshafts, center, female, 6061-T6 aluminum (blue-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (blue-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) vesha	5031 5032 5033 5034 5035	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) **RETITY-TO-RICE MOTE** TRX-4M™ Scale and Trail® Crawler with Land Rover® Defender® Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System **SERIP ACCESSOTICS** Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) **SIDCKOTITY** Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) **SIDCK** Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Lower retainer, shock, brass (1 gram each) (4)
9752-BLUE Drive (from 1/18 9752-GRAY Drive anoc drive 9852-GRAY Drive (from 1/18 9752-GRN Drive (from 1/18 9751-BLUE Drive (from 1/18 9751-GRAY Drive (from 1/18 9751-GRAY Drive (Gron 1/18 9751-G	veshafts, center, female, 6061-T6 aluminum (blue-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (blue-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with	97054-1 9796 9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-GRN 9763-RED 9761A	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RCALLY-TO-RICE MOLE TRX-4M™ Scale and Trail® Crawler with Land Rover® Defender® Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALC ACCESSOTES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIDCK OII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (50 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) SIDCKS Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (range-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-BLUE Gronn 1/18 9752-GRAY Drive annoc drive 9852-GRAY Drive (from 9852-GRN Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRD Drive (from 1/18 9751-GRAY Drive (from 1/18 9751-GRAY Drive (from 9852-RED Drive (from 1/18 9751-GRAY Drive (Gronn 1/18 9751-GRAY 9751-GRAY	ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (blue-anodized) to the Kerar) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (red-anodized) (front & rear)/ to use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) (front & rear)/ to use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm whe	9796 9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-GRN 9763-RED	TRX-4M™ Scale and Trail® Crawler with Land Rover® Defender® Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale 4WD Electric Truck with TQ 2.4GHz Radio System BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) Scale 4WD Electric Truck with TQ 2.4GHz Amm spring pre-load spacers (2)/ 2.5x8mm BCS (2) Scale 4WD Electric Truck with TQ 2.4GHz Amm spring pre-load Spacers (2)/ (silicone) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 700 cSt, 60cc) (silicone) Oil, shock (8
9752-GRAY Drive anoc drive (from 1/18 anoc drive anoc d	ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium-odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ 1.6x7mm BCS (with threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ 2 veshaft assemblies) (for front driveshafts or #9751 metal neter driveshafts)	9796 9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-GRN 9763-RED	Scale 4WD Electric Truck with TQ 2.4GHz Radio System Scale Accessorics Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) Shock (0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-GRAY Drive anoc drive 9852-GRAY Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-RED Drive (from 1/18 9752-RED Drive (from 1/18 9751-BLUE Drive (from 1/18 9751-BLUE Drive (from 1/18 9751-GRAY Drive Centre 9746 Hard TRX-9746X Hard Steel hard 9789 LED bar, 9790 LED 9784 Pro Sharm boddy 9786 Wire	8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts assemblies) (for front driveshafts or #9751 metal anter driveshafts)	9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIOCK 0II Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIOCKS Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-GRAY Drive and drive 9852-GRAY Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRN Drive (from 1/18 9752-GRD Drive (from 1/18 9751-GRAY Drive 6061 1.6x 9751-GRAY Drive cent 9746 Hard TRX. 9746X Hard steel hard 9789 LED 9784 Pros 9786 Wire 9786 Wire 9786 Wire 9786 Wire 9786 Pros 9786 Wire 9786 Pros 9786 Pros 9786 Wire 9786 Pros 9786 Wire 9786 Pros 97	veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts, center, female, 6061-T6 aluminum (green-anodized) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ vzmm BCS (with threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ vzmm BCS (with threadlock) (4) veshafts assemblies) (for front driveshafts or #9751 metal inter driveshafts)	9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIDEKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-GRAY Drive anod drive 9752-GRN Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-RED Drive (from 1/18 9751-BLUE Drive 6061 (with 9751-GRAY Drive 6061 1.6x2 9754 Rebu drive cent 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harm body 9786 Wire	veshafts) veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, male (steel) (4)/ driveshafts, center, female, st-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, st-T6 aluminum (dark titanium-anodized) (front & rear)/ vx7mm BCS (with threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, st-T6 aluminum (dark titanium-anodized) (front & rear)/ vx7mm BCS (with threadlock) (4) veshafts assemblies) (for front driveshafts or #9751 metal nter driveshafts)	9797 9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) Sight (1) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Silock(S) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-GRAY Drive and drive (from 1/18 9752-ORNG Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-RED Drive (from 1/18 9752-RED Drive (from 1/18 9751-BLUE Drive 6061 9751-GRAY Drive 6061 1.6x2 9754 Rebu drive cente 9746 Hard TRX. 9746X Hard TRX. 9746X Hard Steel hard 9789 LED bar, 9789 LED bar, 9780 9784 Pro Sharm boddy 9786 Wire	veshafts, center, female, 6061-T6 aluminum (dark titanium- odized) (front & rear) (for use with #9751 metal center veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) oveshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts assemblies) (for front driveshafts or #9751 metal inter driveshafts)	9795 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-GRN 9763-RED	Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIOCK OII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIOCKS Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-GRN	veshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) veshafts or #9751 metal center driveshafts)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Since (2)/ 2.5x8mm BCS (2) Since (2) Since (2) Since (2) Since (2) Since (30 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Since (S) Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-GRN Drive (from 1/18) 9752-ORNG Drive (from 1/18) 9752-ORNG Drive (from 1/18) 9752-RED Drive (from 1/18) 9752-RED Drive (from 1/18) 9751-BLUE Drive (from 1/18) 9751-GRAY Drive (from 1/18) 9	veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 31-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 31-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) weshafts, center, male (steel) (4)/ driveshafts, center, female, 31-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) weshaft assemblies) (for front driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Silicits Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-GRN (from 1/18) 9752-ORNG Drive (from 1/18) 9752-ORNG Drive (from 1/18) 9752-RED Drive (from 1/18) 9752-RED Drive (from 1/18) 9751-BLUE Drive 6061 (with 9751-GRAY Drive 6061 1.6x; 9754 Rebu drive centre 1/18 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harm body 9786 Wire	ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (green-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal inter driveshafts) **TUWATG** rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Since (S Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-ORNG Gron	ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS (the threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshaft assemblies) (for front driveshafts or #9751 metal of the driveshafts)	5032 5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-ORNG Drive (from 1/18 9752-ORNG Drive (from 1/18 9752-RED Drive (from 1/18 9751-BLUE Drive 6061 1.6x7 9751-GRAY Drive cent 9746 Hard TRX. 9746X Hard steel hard 9789 LED 9784 Pro 3 harm body 9786 Wire	8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal inter driveshafts) "ATTIWATC" rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	5033 5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-ORNG Drive (from 1/18) 9752-RED Drive (from 1/18) 9752-RED Drive (from 1/18) 9751-BLUE Drive (from 1/18) 9751-GRAY Drive (with 1/18) 9751-GRAY Drive (with 1/18) 9754 Rebu drive cent 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro sharm body 9786 Wire	veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Silical (8 Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-ORNG Drive (from 1/18) 9752-RED Drive (from 1/18) 9752-RED Drive (from 1/18) 9751-BLUE Drive 6061 9751-GRAY Drive 6061 1.6x2 9754 Rebu drive cente 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harm body 9786 Wire	veshafts, center, female, 6061-T6 aluminum (orange-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Silicks Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-RED Orivor (from 1/18 9752-RED Drivor (from 1/18 9751-BLUE Drivor (from 1/18 9751-GRAY Drivor (6061 1.6x: 9754 Rebut drivor (cents 9746 Hard TRX. 9746X Hard steel hard 9789 LED 9780 LED 9784 Pro 3 harn body 9786 Wire	ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 51-T6 aluminum (dark titanium-anodized) (front & rear)/ veshafts, center, demale, standard (with threadlock) (4) veshafts or #9751 metal on the driveshafts) (for front driveshafts or #9751 metal on the driveshafts)	5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Sinoks Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9752-RED Drive (from 9852-RED Drive (from 9852-RED Drive (6061 1/18 1	veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	5038X 5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 8 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Since S Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9751-BLUE Orive (6061 (with 9751-GRAY Drive 6061 1.6x) 9754 Rebudrive centr 9746 Hard TRX- 9746X Hard Steel hard 9789 LED bar, 9790 LED 9784 Pro 3 hard body 9786 Wire	ont & rear) (for use with #9751 metal center driveshafts) veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal anter driveshafts) **TIMEC** rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	5038 9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Spinning carousel rack Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9852-RED Drive (from 1/18) 9751-BLUE Drive (6061 (with 9751-GRAY 6061 1.6x) 9754 Rebu drive cent 9746 Hard TRX. 9746X Hard telephard 9789 LED bar, 9790 LED 9784 Pro Shody 9786 Wire	veshafts, center, female, 6061-T6 aluminum (red-anodized) ont & rear) (for use with #9751 metal center driveshafts) (fits 8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, t1-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, t1-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts) ###################################	9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	Spinning carousel rack Since (S Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9751-BLUE Drive 6061 (with 9751-GRAY Drive 6061 1.6x) 9754 Rebu drive centr 9746 Hard TRX. 9746X Hard steel hard 9789 LED 9784 Pro \$ 9784 Pro \$ 9786 Wire	8 TRX-4M™ vehicles with 162mm wheelbase) veshafts, center, male (steel) (4)/ driveshafts, center, female, f1-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, f1-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal inter driveshafts)	9763-BLUE 9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9751-BLUE Drive 6061 (with 9751-GRAY 6061 1.6x7 9754 Rebudrive centre 782 9746 Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harn body 9786 Wire	veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9746 Hard TRX- 9789 LED bar, 9790 PS84 Pro shooty 9786 Wire	61-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS th threadlock) (4) veshafts, center, male (steel) (4)/ driveshafts, center, female, 61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	9763-GRAY 9763-GRN 9763-ORNG 9763-RED 9761A	spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9751-GRAY Drive 6061 1.6x 9754 Rebut centre 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro sharm body 9786 Wire	veshafts, center, male (steel) (4)/ driveshafts, center, female, sti-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts)	9763-GRN 9763-ORNG 9763-RED 9761A	(includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9754 Rebudrive centrol	61-T6 aluminum (dark titanium-anodized) (front & rear)/ x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal inter driveshafts)	9763-ORNG 9763-RED 9761A	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9754 Rebudrive cent 9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harm body 9786 Wire	x7mm BCS (with threadlock) (4) build kit, constant-velocity driveshaft (includes pins for 2 veshaft assemblies) (for front driveshafts or #9751 metal inter driveshafts)	9763-ORNG 9763-RED 9761A	spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9746 Hard TRX- 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harn body 9786 Wire	veshaft assemblies) (for front driveshafts or #9751 metal nter driveshafts) ### TITE WATE rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	9763-RED 9761A	(includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9746 Hard TRX- 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harn body 9786 Wire	nter driveshafts) ### ITTIWATC rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	9761A	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9746 Hard TRX. 9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro s harn body 9786 Wire	rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)	9761A	spring pre-load spacers) (2)
9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harn body 9786 Wire	rdware kit, complete (contains all hardware used on 1/18 scale X-4M™) (includes clear plastic storage container)		Lower retainer, shock, brass (1 gram each) (4)
9746X Hard steel hard 9789 LED bar, 9790 LED 9784 Pro 3 harn body 9786 Wire	X-4M™) (includes clear plastic storage container)	9762	Debuild bit OTM sheets (swimmer and sheets and bladdens bettern and)
9789 LED bar, 9790 LED 9784 Pro 5 harn body 9786 Wire	rdware kit, stainless steel, complete (contains all stainless		Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps) (renews 2 shocks)
9789 LED bar, 9790 LED 9784 Pro sharn body 9786 Wire	al bardware wash as 4/40 apple TDV 4MTM\ /includes bady	9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4)
9789 LED bar, 9790 LED 9784 Pro 5 harn body 9786 Wire	el hardware used on 1/18-scale TRX-4M™) (includes body dware and clear plastic storage container)	9764	Shocks, GTM (assembled w/o springs) (2)
9790 LED 9784 Pro 3 harn body 9786 Wire	LED Lights	9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4)
9790 LED 9784 Pro 3 harn body 9786 Wire	D light bar kit, TRX-4M™ (includes front light bar, roof light	9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fully
9784 Pro 3 harn body 9786 Wire	, mounts, hardware) (fits #9711 or 9712 bodies)	0704 ODN	assembled w/o springs) (4)
harn body 9786 Wire	D light set, TRX-4M™ (fits #9795 utility trailer) o Scale® LED light set, front & rear, complete (includes light	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
9786 Wire	rness, 1.6x5mm BCS (self-tapping) (4), zip ties (2)) (fits #9712	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully
		0704 DED	assembled w/o springs) (4)
JOSJ WITE	re harness, LED lights (front)/ zip ties (2)	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled w/o springs) (4)
	re harness/ mount (for #9790 trailer LED light kit)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
0705 501	Motors & Electronics	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
	M-2.5 Electronic Control Module, waterproof (low voltage ection, fwd/rev/brake)	9759 9760	Spring, shock (GTM) (0.123 rate) (1 pair) Spring, shock (GTM) (0.155 rate) (1 pair)
	ar set, metal (for 2065R waterproof sub-micro servo)	3700	Springs
	at sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
	at sink, Titan® 87T motor (6061-T6 aluminum, dark titanium- odized)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9793-GRN Heat	at sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)		Spring, shock (GTM) (0.123 rate) (1 pair)
9793-ORNG Heat	at sink, Titan® 87T motor (6061-T6 aluminum, orange-	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
	odized) at sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)		Steering Components
	tor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
	vo case/gaskets (for 2065A waterproof sub-micro servo)	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)
	rvo horn (metal)	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
	vo, sub-micro, waterproof vo, sub-micro, waterproof, metal gear	9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right)
	adio System, Batteries & Chargers	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
	mAh 7.4V 2-Cell 20C LiPo Battery	9733 9737-BLUE	Caster blocks, brass (4 grams each) (left & right) Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)
	4PK		2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock
		0707 OD 4V	(4)
	tery door, TQ 2.4 transmitter (replacement for #6516, 6517	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left
9767 Char only)	nsmitter)		
9785 ECM	nsmitter) arger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector		& right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
	nsmitter) arger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector y) M-2.5 Electronic Control Module, waterproof (low voltage	9737-GRN	& right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left &
2064R Gear 2063A Serve	nsmitter) arger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector y)	9737-GRN	& right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)

Page 3 TRX-4M™ 1/18 Land Rover® Defender®: TQ 2.4 GHz Radio (Model 97054-1) Parts List

90 0			
9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left &	9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black,
	right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with	0704 DLICEL	beadlock) (2)
9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/	9781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black
9/3/-RED	2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock)	9781-SATIN	chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin
	(4)	oron ozana	chrome, beadlock) (2)
9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm	9881-BLK	Wheels, 1.0", 6061-T6 aluminum (black-anodized) (4)/ 2x8mm
	BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)		BCS (24)
9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)	9881-SLVR	Wheels, 1.0", 6061-T6 aluminum (silver-anodized) (4)/ 2x8mm
9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm		BCS (24)
	SS (with threadlock) (1)		Transmission Components
9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo	9745R	Ball bearing kit, transmission, black rubber sealed (contains
	horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/	9776	3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/
0749 CDN	2.5x7mm SS (with threadlock) (1)	9776	pinion gear, 11-tooth
9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	9776R	Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/
	SS (with threadlock) (1)		pinion gear, 11-tooth
9748-ORNG	Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn,	9776X	Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear,
	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	07.47	11-tooth
0740 DED	SS (with threadlock) (1)	9747	Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm
9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm		pins (2)
	SS (with threadlock) (1)	9747X	Output shaft, transmission
9742R	Suspension link set, complete (front & rear) (includes steering link (1),	9791	Transmission, complete (high range (trail) gearing) (16.6:1 reduction
	front lower links (2), front upper links (2), rear links (4)) (assembled		ratio) (assembled with ball bearings) (includes Titan® 87T motor)
	with hollow balls)	9791R	Transmission, complete (low range (crawl) gearing) (40.3:1
	Suspension Linkage		reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
7028	Hollow balls (20)	9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio)
7028X	Hollow balls, steel (machined) (22)	3731X	(assembled with ball bearings) (includes Titan® 87T motor)
9851	Long arm lift kit, TRX-4M™, complete		Traxxas Tools
7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory	3433X	
0050	suspension links)	3433	Body reamer (aluminum handle) Body reamer (plastic handle)
9859	Rod ends, long (8)/ hollow balls, steel (8) (for 1/18 scale TRX- 4M™ vehicle accessory suspension links)	3436	Cap, body reamer
9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized)	3432	Scissors, curved tip
	(includes 5x53mm front lower links (2), 5x46mm front upper links	3431	Scissors, straight tip
	(2), 5x68mm rear lower or upper links (4))	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-anodized)		premium handle (medium), travel pouch, hex drivers (straight:
	(includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
9749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized)	8720	Speed bit handle, large (overmolded)
57 45-GIAIA	(includes 5x53mm front lower links (2), 5x46mm front upper links		Speed bit handle, medium (one piece)
	(2), 5x68mm rear lower or upper links (4))	8722	Speed bit handle, premium (rubber overmold)
9749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	(includes 5x53mm front lower links (2), 5x46mm front upper links		premium handle (medium), travel pouch, hex drivers (straight:
9749-RED	(2), 5x68mm rear lower or upper links (4)) Suspension link set, 6061-T6 aluminum (red-anodized) (includes		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
37 43-KLD	5x53mm front lower links (2), 5x46mm front upper links (2),		8.0mm), 1/4" drive
	5x68mm rear lower or upper links (4))	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
9742R	Suspension link set, complete (front & rear) (includes steering link (1),		includes premium handle (medium), travel pouch, hex drivers
	front lower links (2), front upper links (2), rear links (4)) (assembled		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
9749	with hollow balls) Suspension link set, steel (includes 4x53mm front lower links (2),	0740	2.5mm, 3.0mm), 1/4" drive
3143	4x46mm front upper links (2), 4x68mm rear lower or upper links	8/19	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	(4))		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Team Traxxas Items	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)		drive
2514	Decal sheet, racing sponsors	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &	8715	3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
	similar)	0713	2.5mm), 1/4" drive
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
9909	Traxxas® racing banner, red & black (3x7 feet)		2.5mm, 3.0mm), 1/4" drive
	Tires & Wheels	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®	2740D	Phillips, and #2 Phillips bits), 1/4" drive
	Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0"		wrench)
9771	tires) (2) Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
9769	Tires, Canyon Trail 2.2x1.0" (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
9750	Wheel hubs, 7mm hex (4)/ axle pins (8)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
9750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)		
9750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)		
9780	Wheel weights, brass (31 grams each) (2) (requires #9781 series		If you have questions or need technical assistance, call Traxxas at:
9769 BI KOD	Wheels 1.0" (black chrome) (2)		1-888-TRAXXAS
	Wheels, 1.0" (black chrome) (2) Wheels, 1.0" (black chrome) (2)		
9770-BLKCK	Wheels, 1.0" (black) (2)		(1-888-872-9927) (U.S. residents only)
9768	Wheels, 1.0" (black) (2)		For orders, calls outside the U.S., and other information, call 972-549-3000,
9768-SATIN	Wheels, 1.0" (satin chrome) (2)		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
9770-SATIN	Wheels, 1.0" (satin chrome) (2)		TRAXXAS.COM

REV. 240524 0241