

## TRX-4M<sup>™</sup> 1/18 Ford® Bronco® (Model 97074-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9794	Display stand (155mm wheelbase)
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm	9713	Frame, body (fender flares)/ spare tire mount (fits #9711 body)
	BCS (with threadlock) (8)	9718 9715	LED lenses, body, front & rear (complete set) (fits #9711 body)  Roof rack/ spare tire cover/ cowl/ grille (fits #9711 body)
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/	9716	Roof, body (black) (fits #9711 body)
9787-GRN	1.6x12mm BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9717	Trail sights (left & right)/ door handles (left, right, & rear)/ front bumper
9707-GKN	BCS (with threadlock) (8)		covers (left & right) (fits #9711 body)
9787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm	9714 <b>9714X</b>	Windows, body (fits #9711 body)
	BCS (with threadlock) (8)		Windows, body (tinted) (fits #9711 body)
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)		y & Accessories (Land Rover® Defender®)
9787	Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with	9712	Body, Land Rover® Defender®, complete (unassembled) (white, requires painting) (includes grille, side mirrors, door handles,
	threadlock) (8)		fender flares, fuel canisters, jack, spare tire mount, & clipless
	Axle cover, front or rear (black chrome) (2)		mounting) (requires #9734 front & rear bumpers)
9738 <b>9738-BLUE</b>	Axle cover, front or rear (black) (2)	9712-BLUE	Body, Land Rover® Defender®, complete, blue (includes grille,
	Axle cover, front or rear (blue) (2) Axle cover, front or rear (gray) (2)		side mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front &
9738-RED	Axle cover, front or rear (red) (2)		rear bumpers)
9738-SATIN	Axle cover, front or rear (satin chrome) (2)	9712-GRN	Body, Land Rover® Defender®, complete, green (includes grille,
9741	Axle housing, front & rear		side mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front &
9729X 9730X	Axle shaft, front (hardened steel) (1)		rear bumpers)
9750A 9756	Axle shaft, rear (hardened steel) (1) Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened	9712-ORNG	Body, Land Rover® Defender®, complete, orange (includes
0.00	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)		grille, side mirrors, door handles, fender flares, fuel canisters,
9729	Axle shafts, front, outer (2)		jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9730	Axle shafts, rear, outer (2)	9712-RED	Body, Land Rover® Defender®, complete, red (includes grille,
9743 9744	Axle, front (assembled)/ M2.5x0.45 NL (2) Axle, rear (assembled)/ M2.5x0.45 NL (2)		side mirrors, door handles, fender flares, fuel canisters, jack,
9779	Gears, axle (metal, front & rear)		spare tire mount, & clipless mounting) (requires #9734 front &
9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft	9712-SLVR	rear bumpers) Body, Land Rover® Defender®, complete, silver (includes grille,
	assemblies) (for front driveshafts or #9751 metal center driveshafts)	37 12-0EVIC	side mirrors, door handles, fender flares, fuel canisters, jack,
9777	Ring gear, axle (2)/ pinion gear, axle (2)		spare tire mount, & clipless mounting) (requires #9734 front &
<b>9765</b> 9753	Skidplate, axle, front or rear (stainless steel) (2) Stub axle, front (2)/ cross pins (2)/ drive pins (4)	9712-TAN	rear bumpers)
9753X	Stub axle, front (bardened steel) (1)	9/ 12-1 AN	Body, Land Rover® Defender®, complete, tan (includes grille, side mirrors, door handles, fender flares, fuel canisters, jack,
	<b>Bearings &amp; Bushings</b>		spare tire mount, & clipless mounting) (requires #9734 front &
9745X	Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8),	0704	rear bumpers)
37438	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9794 9731	Display stand (155mm wheelbase)  Door handles (4)/ light mounts, front (left & right)/ light retainers,
9745R	Ball bearing kit, transmission, black rubber sealed (contains	9731	front bumper (left & right)/ fuel cap/ snorkel/ spare tire mount
0745	3x6x2.5mm bearings (6))		(fits #9712 body)
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9728	ExoCage/ roof basket (top, bottom, & sides (left & right)) (fits
	Body & Accessories (Ford® Bronco®)	9724	#9712 body) Frame, body (fender flares) (fits #9712 body)
9711-WHT	<del>-</del>	9721	Fuel canisters (left & right)/ jack (red) (fits #9712 body)
9711-0001	Body, Ford Bronco, complete (assembled) (white) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire	9720	Grille/ mirrors, side (left & right)/ spare tire cover/ light retainers,
	mount, & clipless mounting) (requires #9735 front & rear bumpers)		body (front & rear, left & right)/ decal sheet (fits #9712 body)
9711	Body, Ford Bronco, complete (unassembled) (white, requires	9719 9788	LED lenses, headlight (2), tail light (2) (fits #9712 body) Roof, body (black) (fits #9712 body)
	painting) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting)	9725	Windows, body (fits #9712 body)
	(requires #9735 front & rear bumpers)	9725X	Windows, body (tinted) (fits #9712 body)
9711-ARE51	Body, Ford Bronco, complete, Area 51 (includes grille, side		<b>Bumpers &amp; Skidplates</b>
	mirrors, door handles, fender flares, windshield wipers, spare	9734R	Bumper D-rings, front or rear, 6061-T6 aluminum (red-anodized)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)		(4)/ 1.6x5mm CS (with threadlock) (4) (fits #9734X or 9735X
9711-BLK	Body, Ford Bronco, complete, black (includes grille, side mirrors, door		aluminum bumpers)
	handles, fender flares, windshield wipers, spare tire mount, & clipless	9735X	Bumper, front (1), rear (1), 6061-T6 aluminum (black-anodized) (assembled with D-rings)/ bumper mounts (front & rear)/
9711-BLUE	mounting) (requires #9735 front & rear bumpers)  Body, Ford Bronco, complete, blue (includes grille, side mirrors, door		2.5x6mm BCS (with threadlock) (4) (fits TRX-4M™ Ford®
97 TI-BLOL	handles, fender flares, windshield wipers, spare tire mount, & clipless		Bronco®)
	mounting) (requires #9735 front & rear bumpers)	9735	Bumper, front (1)/ rear (1)
9711-GRAY	Body, Ford Bronco, complete, Cactus Gray (includes grille, side	9735A	Front bumper with winch/ rear bumper/ bumper mounts, front & rear/ center skidplate
	mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear	9765	Skidplate, axle, front or rear (stainless steel) (2)
	bumpers)	9736	Skidplate, center/ bumper mount, front/ bumper mount, rear
9711-CYBER	Body, Ford Bronco, complete, Cyber Orange (includes grille,	9766	Skidplate, chassis (stainless steel)
	side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front &		Chassis & Attachments
	rear bumpers)	9727	Battery strap
9723-DKGRY	Body, Ford Bronco, complete, dark gray (includes grille, side	9722	Chassis rails, 202mm (steel) (left & right)
	mirrors, door handles, fender flares, windshield wipers, spare	9794	Display stand (155mm wheelbase)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9739-BLUE 9739-GRAY	Servo mount, 6061-T6 aluminum (blue-anodized) Servo mount, 6061-T6 aluminum (dark titanium-anodized)
9711-RED	Body, Ford Bronco, complete, red (includes grille, side mirrors, door	9739-GRA	Servo mount, 6061-T6 aluminum (green-anodized)
	handles, fender flares, windshield wipers, spare tire mount, & clipless	9739-ORNG	Servo mount, 6061-T6 aluminum (orange-anodized)
	mounting) (requires #9735 front & rear bumpers)	9739-RED	Servo mount, 6061-T6 aluminum (red-anodized)

9739	Servo mount, steering/ servo horn	2064A	Gear set (for 2065A waterproof sub-micro servo)
9726	Shock mounts (front & rear)/ battery tray	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
9736	Skidplate, center/ bumper mount, front/ bumper mount, rear	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
766	Skidplate, chassis (stainless steel)	9740	Servo horn (metal)
	Driveline Components	2065T	Servo, sub-micro, waterproof
755	Driveshafts, center, assembled (front & rear) (fits 1/18 scale TRX-	<b>2065R</b> 6516	Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
	4M™ vehicles with 155mm wheelbase)	0310	
752-BLUE	Driveshafts, center, female, 6061-T6 aluminum (blue-anodized)		Ready-To-Race Model
	(front & rear) (for use with #9751 metal center driveshafts)	97074-1	TRX-4M™ Scale and Trail® Crawler with Ford® Bronco® Body: 1/
852-BLUE			Scale 4WD Electric Truck with TQ 2.4GHz Radio System
	(front & rear) (for use with #9751 metal center driveshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase)		Scale Accessories
752-GRAY	•	9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load
	anodized) (front & rear) (for use with #9751 metal center		spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1
	driveshafts)	9797	Trailer wheels (2)/ tires (2)/ mounting hardware
852-GRAY		9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load
	anodized) (front & rear) (for use with #9751 metal center		spacers (2)/ 2.5x8mm BCS (2)
752-GRN	driveshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase) Driveshafts, center, female, 6061-T6 aluminum (green-anodized)		Shock Oil
7 32-GKN	(front & rear) (for use with #9751 metal center driveshafts)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
852-GRN	Driveshafts, center, female, 6061-T6 aluminum (green-anodized)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
	(front & rear) (for use with #9751 metal center driveshafts) (fits	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	1/18 TRX-4M™ vehicles with 162mm wheelbase)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
752-ORNG		5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	(front & rear) (for use with #9751 metal center driveshafts)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
852-ORNG			Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
	(front & rear) (for use with #9751 metal center driveshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase)	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt,
752-RED	Driveshafts, center, female, 6061-T6 aluminum (red-anodized)	3030X	80 wt premium shock oils with spinning carousel rack)
TOE RED	(front & rear) (for use with #9751 metal center driveshafts)	5038	Spinning carousel rack
852-RED	Driveshafts, center, female, 6061-T6 aluminum (red-anodized)		Shocks
	(front & rear) (for use with #9751 metal center driveshafts) (fits		
	1/18 TRX-4M™ vehicles with 162mm wheelbase)	9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (include
751-BLUE	Driveshafts, center, male (steel) (4)/ driveshafts, center, female,	0762 CDAV	spring pre-load spacers) (2)
	6061-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS	9763-GRAY	Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2)
751-GRAY	(with threadlock) (4) Driveshafts, center, male (steel) (4)/ driveshafts, center, female,	9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includ
751-GRAT	6061-T6 aluminum (dark titanium-anodized) (front & rear)/	5700-OILIT	spring pre-load spacers) (2)
	1.6x7mm BCS (with threadlock) (4)	9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized)
754	Rebuild kit, constant-velocity driveshaft (includes pins for 2		(includes spring pre-load spacers) (2)
	driveshaft assemblies) (for front driveshafts or #9751 metal	9763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes
	center driveshafts)		spring pre-load spacers) (2)
	Hardware	9761A	Lower retainer, shock, brass (1 gram each) (4)
746	Hardware kit, complete (contains all hardware used on 1/18 scale	9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps)
	TRX-4M™) (includes clear plastic storage container)	07604	(renews 2 shocks)
746X	Hardware kit, stainless steel, complete (contains all stainless	9762A 9764	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer Shocks, GTM (assembled w/o springs) (2)
	steel hardware used on 1/18-scale TRX-4M™) (includes body	9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully
	hardware and clear plastic storage container)	0.04 2202	assembled w/o springs) (4)
	LED Lights	9764-GRAY	
789	LED light bar kit, TRX-4M™ (includes front light bar, roof light		assembled w/o springs) (4)
	bar, mounts, hardware) (fits #9711 or 9712 bodies)	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully
790	LED light set, TRX-4M™ (fits #9795 utility trailer)		assembled w/o springs) (4)
783	Pro Scale® LED light set, front & rear, complete (includes light	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully
	harness, 1.6x10mm BCS (self-tapping) (2), 1.6x7mm BCS (self-	0764 DED	assembled w/o springs) (4)
700	tapping) (2), zip ties (2)) (fits #9711 body)	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assemble w/o springs) (4)
9786	Wire harness, LED lights (front)/ zip ties (2)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
839	Wire harness/ mount (for #9790 trailer LED light kit)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
	Motors & Electronics	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
	detection, fwd/rev/brake)		Springs
064R	Gear set, metal (for 2065R waterproof sub-micro servo)	9757	
793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)	<b>9757</b> 9758	Spring, shock (GTM) (0.072 rate) (1 pair) Spring, shock (GTM) (0.095 rate) (1 pair)
793-GRAY	,	9759	Spring, shock (GTM) (0.093 rate) (1 pair)
793-GRN	anodized) Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)		Spring, shock (GTM) (0.155 rate) (1 pair)
793-ORNG			Steering Components
700 01110	anodized)		<u> </u>
793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)	9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (lef
.063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9732 CPN	right) Caster blocks 6061-T6 aluminum (green-anodized) (left & righ
740	Servo horn (metal)	9733-GRN 9733-ORNG	Caster blocks, 6061-T6 aluminum (green-anodized) (left & righ Caster blocks, 6061-T6 aluminum (orange-anodized) (left & righ
2065T	Servo, sub-micro, waterproof	9733-ORNG 9733-RED	Caster blocks, 6061-16 aluminum (orange-anodized) (left & right)
2065R	Servo, sub-micro, waterproof, metal gear	9733-RED	Caster blocks, brass (4 grams each) (left & right)
Neon	Radio System, Batteries & Chargers	9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & righ
.065K			2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlo
	750mAh 7 4V 2-Cell 20C LiPo Battery		
2821	750mAh 7.4V 2-Cell 20C LiPo Battery		(4)
2821 <b>2914</b> 6548	750mAh 7.4V 2-Cell 20C LiPo Battery  AA 4PK  Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	9737-GRAY	(4) Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (l
2821 2 <b>914</b>	AA 4PK	9737-GRAY	(4)

## Page 3 TRX-4M™ 1/18 Ford® Bronco®: TQ 2.4 GHz Radio (Model 97074-1) Parts List

Page 3	IRX-4MI''' 1/18 Ford® Bronco®: IQ 2.4 GHZ Radio (I	nodel 9707	4-1) Parts List
9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &	9768	Wheels, 1.0" (black) (2)
	right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with	9768-SATIN	Wheels, 1.0" (satin chrome) (2)
0707 ODNO	threadlock) (4)	9770-SATIN	Wheels, 1.0" (satin chrome) (2)
9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with	9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)
	threadlock) (4)	9781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black
9737-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/		chrome with blue beadlock) (2)
	2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock)	9781-SATIN	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin
0727	(4) Steering blocks bross (7 grams each) (left 8 right) (2 Ev12mm		chrome, beadlock) (2)
9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)	9881-BLK	Wheels, 1.0", 6061-T6 aluminum (black-anodized) (4)/ 2x8mm
9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)	9881-SLVR	BCS (24) Wheels, 1.0", 6061-T6 aluminum (silver-anodized) (4)/ 2x8mm
9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn,	3001-3EVI	BCS (24)
	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm		Transmission Components
0749 CDAV	SS (with threadlock) (1) Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo	9745P	Ball bearing kit, transmission, black rubber sealed (contains
9748-GRAY	horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/	374310	3x6x2.5mm bearings (6))
	2.5x7mm SS (with threadlock) (1)	9776	Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/
9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn,		pinion gear, 11-tooth
	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	9776R	Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/
9748-ORNG	SS (with threadlock) (1) Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn,	9776X	pinion gear, 11-tooth  Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear.
3740-01110	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	3770X	11-tooth
	SS (with threadlock) (1)	9747	Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/
9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn,		2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm
	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm	0747	pins (2)
9742R	SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1),	9747X 9791	Output shaft, transmission  Transmission complete (high range (trail) gearing) (16.6:1 reduction
U1741\	front lower links (2), front upper links (2), rear links (4)) (assembled	3131	Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
	with hollow balls)	9791R	Transmission, complete (low range (crawl) gearing) (40.3:1
	Suspension Linkage		reduction ratio) (assembled with ball bearings) (includes Titan®
7028	Hollow balls (20)		87T motor)
7028X	Hollow balls, steel (machined) (22)	9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9851	Long arm lift kit, TRX-4M™, complete		
7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory		Traxxas Tools
0050	suspension links)	3433X	Body reamer (aluminum handle)
9859	Rod ends, long (8)/ hollow balls, steel (8) (for 1/18 scale TRX- 4M™ vehicle accessory suspension links)	3433	Body reamer (plastic handle)
9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized)	3436 3432	Cap, body reamer Scissors, curved tip
00	(includes 5x53mm front lower links (2), 5x46mm front upper links	3431	Scissors, straight tip
	(2), 5x68mm rear lower or upper links (4))	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-anodized)		premium handle (medium), travel pouch, hex drivers (straight:
	(includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
9749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized)	8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
	(includes 5x53mm front lower links (2), 5x46mm front upper links		Speed bit handle, medium (one piece)
	(2), 5x68mm rear lower or upper links (4))	8722	Speed bit handle, premium (rubber overmold)
9749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	(2), 5x68mm rear lower or upper links (4))		premium handle (medium), travel pouch, hex drivers (straight:
9749-RED	Suspension link set, 6061-T6 aluminum (red-anodized) (includes		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
	5x53mm front lower links (2), 5x46mm front upper links (2),		8.0mm), 1/4" drive
0740D	5x68mm rear lower or upper links (4))	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
9742R	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled		includes premium handle (medium), travel pouch, hex drivers
	with hollow balls)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
9749	Suspension link set, steel (includes 4x53mm front lower links (2),	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	4x46mm front upper links (2), 4x68mm rear lower or upper links	0.10	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	(4))		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Team Traxxas Items	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	8716X	drive
2514	Decal sheet, racing sponsors	01 10X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
9950	similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)		2.5mm), 1/4" drive
9909	Traxxas® racing banner, red & black (3x7 feet)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	Tires & Wheels	971 <i>4</i>	2.5mm, 3.0mm), 1/4" drive
0774		8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich® Mud- Terrain™ T/A® KM3 2.2x1.0" tires) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
	2.2x1.0" tires) (2)		wrench)
9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
9769	Tires, Canyon Trail 2.2x1.0" (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
9750 <b>9750A</b>	Wheel hubs, 7mm hex (4)/ axle pins (8) Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)		wrenches/ driver handle)
9750A 9750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)		If you have questions or need technical assistance, call Traxxas at:
9780	Wheel weights, brass (31 grams each) (2) (requires #9781 series		
	wheels)		1-888-TRAXXAS
	Wheels, 1.0" (black chrome) (2)		(1-888-872-9927) (U.S. residents only)
	Wheels, 1.0" (black chrome) (2)		For orders, calls outside the U.S., and other information, call 972-549-3000,
9770	Wheels, 1.0" (black) (2)		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM